



DIAMANT-PASTA FOR SLIBNING/POLERING



Skala til konvertering mellem mesh og micron (vejledende da disse 2 systemer ikke er 100% sammenlignelige)

Grit (Sandpapir)	Micron
60	250
100	150
160	110
180	100
225	90
240	60
325	45
400	37
500	35
600	30
800	20
1000	18
1200	15
1400	14
1800	9
2800	7
4500	5
5000	4
8000	3
9000	2,5
13000	1,5
14000	1
50000	0,5
100000	0,25

Sprøjter a 5 gr.		
ST931	1/4 my	84 kr. (vare nr. 399)
ST932	1 my	100 kr. (vare nr. 400)
ST933	2 my	100 kr. (vare nr. 400-1)
ST934	3 my	110 kr. (vare nr. 401)
ST935	4 my	110 kr. (vare nr. 402)
ST936	6 my	110 kr. (vare nr. 403)
ST937	8 my	110 kr. (vare nr. 404)
ST938	14 my	130 kr. (vare nr. 405)
ST939	25 my	145 kr. (vare nr. 405-1)
special	30 my	150 kr. (vare nr. 405-2)
ST940	45 my	170 kr. (vare nr. 406)
ST941	60 my	216 kr.
ST942	80 my	220 kr.

Varenummer =lager vare
(andre micron str. / palkke str. skaffes indenfor
ca. 1,5 uge)

'ST' RANGE

'ST' No	MEAN MICRON SIZE	MICRON SIZE RANGE	COLOUR	CONCENTRATION	GENERAL RECOMMENDATIONS
ST 930	1/10	0 - 1/4	Grey	HEAVY	Ultra fine metallographic finishes.
ST 931	1/4	0 - 1/2	Grey		
ST 932	1	0 - 2	Violet		Final polishing operations for tungsten carbide and hard steels etc.
ST 933	2	1/2 - 3	Dark Blue		
ST 934	3	1 - 4	Light Blue		
ST 935	4	2 - 6	Dark Green		
ST 936	6	4 - 8	Light Green		Lapping and pre-polishing tungsten carbide and hard steels etc.
ST 937	3	5 - 10	Yellow		
ST 938	14	9 - 18	Orange		
ST 939	25	18 - 40	Brick		Fast stock removal and roughing operations
ST 940	45	40 - 60	Red		
ST 941	60	50 - 80	Pink		
ST 942	80	60 - 100	Purple		

- ◆ Kan også leveres i 10, 20 & 50 grs. Sprøjter (1-2 ugers leveringstid)
- ◆ Kan fortyndes med paraffin eller destilleret vand
- ◆ Ved bestilling oplys ST nr. / Vare nr.