



Product index

	Page No.
Α	
Abrasive Dressing Block	2
ACCESSORIES	51-57
Adaptors	8,9,17,25,28,31,33,36,38,39,40,46
Air Tool Oil Lubrication	61
Air Tools	60,61
Aluminium Backup Pad	39
Arix Blue Sabre Blades	4
Arix Silent Centre Blade	1
AS100 Angle Saw	60
AS125 Angle Saw	60

B	
Bandsaws Blades	7
Bands, Expanding Rubber Mandrel	32
Belts	31,32
Black Knight Segmented Blade	4
Black Turbo Continuous Rim Blade	5
Blades	1-7
Burrs, Vacuum Brazed Diamond Profile	19

	C	
Ŀ	Ceramica Diamond Resin Discs & Backup	Pads 36
	Ceramica Resin Drums	44
	Chevron Drum, Mini & Drum Adaptor	44-46
	Chevron Resin Drums	45
	Chevron Drums for CNC Machines	44
	Chevron Belts, Rubber Drum & Adaptor	45
	Chevron Dressing Bar	56
	Clear Cut Silent Centre Blades	2
	CNC TOOLING	11,15,16,20,24,26,44,47,50
1	- Drilling	11
	- Profiling	15,16,20
	- Grinding	24,26
_	- Polishing	44,47,50
	CNC Fluting Wheels	50
	Cont'tal - 22.2mm Adap for ProGem & Pro	file Routers 17
	Continuous Rim Blades	3,5-7
1	Core Drills	8-10
	Cup Wheels	23
	Cushioned Drums & Adaptor	25
1	CUTTING	1-7
	Cyclone Flat Wheels	23

D	Page No
Dekton & Neolith Blades	3
Dewalt Router	59
Dia-Board Discs, Electroplated	22
Dia-Dot 130 Edging Wheels	42
Dia-Dot 100 Solid Discs & Disc Adaptors	40
Dia-Dry Discs	24
Dia-Gem Flexible QRS Discs & Backup Pads	39
Dia-Grind Cup Wheels	23
Dia-Met Hand Pads	30
Dia-Rap Radial Arm Polishing System	43
Dia-Sol Discs & Disc Adaptors	40
Diagrit Water Chucks	12
Diamond Profile Burrs, Vacuum Brazed	19
Diamond Sharp Block	35
Diamond Resin Discs & Wheels	36-46
Diamond Blades	1-7
Diamond Cup Wheels	23
Diana T30 Flat Dish Wheel	24
Arix Silent Centre Blades	1
Dressing Bar for (Chevron)	56
Dressing Block, For Flute Polishing Wheels	49
DRILLING	8-12
Drills	8-11
Drums	25,33,44,45,46
Dry Cut Blades	4-7
Dry Grinding Disc	22,24
Dry Polishing Discs	36
E	
Edge Polishing Discs & Gaskets	41-42
Electric Machines	58-59
Electroplated Continuous Rim Blades	6
Electroflex Pads	30,58
Electroflex Vanity Drums	33
Electroflex Belts	31-32
Electroflex Diamond Products	27-35
Electroflex Discs	29,30
Electroflex Hand Files	34
Electroflex Hand Pads	29,30
Electroflex Sheets	35
Electroflex Profile Hand Pads	30
	25
Electroplated Cushioned Drum	
Electroplated Cushioned Drum Emperor Edge Polishing Wheels	41
Emperor Edge Polishing Wheels	41 31,45
	41 31,45 32

Product index

	Page No.
F	
Fein Multi-Talent Oscillating	58
Fein Electroflex Pads & Backup Pads	58
Felt Pads	55
Flex Electrica 110v Wet & Dry Polishers	58
Flexible Diamond Belts	31,32
Flexible Diamond Discs	27,28
Flutemaster Flute Grinding/Polishing System	48
Flute Grinding & Polishing Wheels - 2 Stage	50
Flute Polishing Wheels (Resin) & Dressing Block	49
Flute Polishing System	48
Flute Wheels (Seelbach Machine)	50
Fluting Wheels (Electroplated)	13
G Gaskets for Edging Wheels	56
Granite Blades	1-5,7
Granite Drums, Chevrons	44,46
Granite Drill Adaptors for use with Water Chucks	12
GRINDING	22-26
GS Drums	25
Н	
Hand Files	34
HAND MACHINES	58,60
Hand Pads	29-30
Hercules MB Cutting/Grinding Blade	7
I-K	
Inox VB Profile & Chamfer Wheels	19
Kwik-Cut CNC Drills	11
Kwik-Flex Flexible Discs & Backup Pads	38
Kwik-Flute CNC MB Routers	20
L-M	
Line Breakers	26
Mandrels, Expanding Rubber	32
Marble Blades	2,3,6
Marble Polishing Discs	36,37,38,39,41,43
Metal Bond Blades	1-5,7
Metal Bond Horizontal Blades	3
Metal Bond CNC Mini Grinding Drums	24
Milling Wheels (Metal Bond for Granite)	26
Mini Chevron Drums	46
Multi-Cut Core Drills Metal Bond Segmented & Crown	ned 10
Multi-Cut Core Drills for Pop Up Sockets	11
Multi-Cut Power Blade	3

	Page No.
<u>0</u>	
Oil Mist Lubricator	61
Oma to 22.2mm Adaptor for Pro-Gem & Profile	
Orbital Sander Pads	33
P	
Pads	29,30
Panther Flexible Resin Discs & Backup Pads	37
Parallel Routers (Dewalt Routing Machine)	18
Parallel Routers Metal Bond & Vacuum Brazed	18,20
Pneumatic Tools	60
Polishing Compound	55
POLISHING	27-50
Polishing Discs	27,28,36-40,43
President Edge Polishing Wheels	42
Pro-Cut Vanity Bowl Crowns & Routers	21
Pro-Gem Profiling & Polishing System	17
Profile Burrs, Vacuum Brazed	19
Profile Routers for Marble & Slate	18
Profile Wheels	13,49,50
Profile Routers (Dewalt Router)	18
Profile Machines	48,59
Profile Routers for Granite	18
PROFILING	13-21
Pro-Edge CNC Profile Polishing System	15
Puma Flexible Resin Discs & Backup Pads	39
Pyramid Vanity Blades	6
Q	
QRS Converter, Radial Arm	43
Quick Q-6R Pneumatic Polisher	60
R	
Radial Arm Polishing Discs	43
Rapier Vacuum Brazed Diamond Discs	22
Recess Drainer System	16
Regrind & Reprofile Service	14
Reinforcing Bar, GRP	57
Repair Kit, Components	51-52
Repairlux Repair Kits	51-52
Repairlux Kit, Mini	51
Rhino Radial Arm Polishing System	43
Dubber Funending Drum	31,45
Rubber Expanding Drum	31,45

Product index

	Page No.
S 3 Step Polishing Discs	36
Samurai Metal Bond Gulleted Blades	30
Samural Mietal Bond Guileted Blades	4
	26
SD Milling Wheels	
SD CNC Grinding & Polishing System	
Segmented Blades	1-5,7
Sharpening Block, Chisels & Knives	35
Sheets Diamond Electroflex	33,35
Silent Centre Gulleted Blade	1-2
Snail-Lock Backup Pads	41
Snail-Lock Cup Wheels	23
Snail-Lock Discs	40-42
Snail-Lock Spanner	56
Solid Granite Drills	12
Solid Granite Drill Adaptors	12
Starlite Polishing Drums	46
Starrett Adaptors	8
Stone Care Products	53-54
STONE FLOOR	61
Stone Repair Kits	51-52
Strip & Replate Service	14
Super Profiler	59
Supreme Flexible Discs & Backup Pads	37
Τ	
Template Material	57
Three Step Polishing Discs & Backup Pads	36
Tile Blades, Continuous Rim Metal Bond	5
Tile (Ceramic) Drilling Kit	56
Titan Dry Grind Discs	24
Translucent Template Material	57
Trojan, Vacuum Brazed Diamond Discs	22
Twister Radial Arm Polishing System	43

	Page No.
U-V	
Ultra Mini CNC Polishing Routers	47
Vacuum Brazed Core Drills	9
Vacuum Brazed Drums	25
Vacuum Brazed Discs	22
Vacuum Brazed Router	20
Vanity Blades	6
Vanity Drums & Drum Adaptor	33
Viking Discs, Vacuum Brazed	22
W	
Water Chucks	12
Wet Cut Blades	1-7
Wet Polishing Discs	27,28,36-40,43
Wet Polishers	58,60

20

23

X-Y-Z

Zenesis CNC Parallel Routers


Zodiac Cup Wheels

info@amp-teknik.dk

11

Cutting

Our large range of diamond saw blades has been carefully selected to give you a quality cut at the most economical . Sizes available are from 100mm to 600mm and the most popular sizes are normally held in stock for immediate despatch.



ARIX SILENT CENTRE BLADES


This silent centre blade has been specially developed to provide an improved cutting speed together with a clean cut and longer life.

WET GRANITE ENGINEERED STANDARD MACHINES

PART NO.	DIAMETER	SEGMENT HEIGHT	SEGMENT WIDTH	BORE/ FITTING	
*BMS1045	300mm	16mm	3.2mm	60/50	
*BMS1050	350mm	16mm	3.2mm	60/50	
*BMS1055	400mm	16mm	3.2mm	60/50	
*BMS1065	450mm	16mm	3.4mm	60/50	
*BMS1070	500mm	16mm	3.4mm	60/50	
*BMS1080	600mm	16mm	3.4mm	60/50	

ARIX BLACK SILENT CENTRE BLADES

The Arix Black is of similar specification to the standard machine blade but with segments specifically formulated for use on lower powered machines.



ARIX

WET GRANITE ENGINEERED STONE LOWER POWERED MACHINES — 5-10HP

PART NO.	DIAMETER	Segment Height	Segment Width	BORE/ FITTING	
*BMS9330	300mm	16mm	3.2mm	60/50	
*BMS9335	350mm	16mm	3.2mm	60/50	
*BMS9340	400mm	16mm	3.2mm	60/50	F
*BMS9345	450mm	16mm	3.4mm	60/50	
*BMS9350	500mm	16mm	3.4mm	60/50	
*BMS9360	600mm	16mm	3.4mm	60/50	

ARIX SEGMENT illustrating aligned diamond partical technology

CLEAR CUT SILENT CENTRE BLADES


Premium, fast cutting laser welded segmented blades producing excellent results.

WET	MARBLE	
VVEI	WARDLE	

GRANITE

14/17-7

PART NO.	DIAMETER	SEGMENT HEIGHT	SEGMENT WIDTH	BORE/ FITTING
*BMS196	300mm	7mm	3.5mm	60/50
*BMS201	350mm	7mm	4mm	60/50
*BMS206	400mm	7mm	4mm	60/50
*BMS208	450mm	7mm	4mm	60/50
*BMS211	500mm	7mm	4mm	60/50
*BMS216	600mm	7mm	5.5mm	60/50




Cutting

CLEAR CUT SILENT CENTRE BLADES

Premium fast cutting laser welded segmented blades producing excellent results.

PART NO.	DIAMETER	SEGMENT HEIGHT	SEGMENT WIDTH	BORE/ FITTING
*BMS430	300mm	15mm	2.8mm	60/50
*BMS435	350mm	15mm	3.0mm	60/50
*BMS455	400mm	15mm	3.2mm	60/50
*BMS465	450mm	15mm	3.6mm	60/50
*BMS475	500mm	15mm	3.6mm	60/50
*BMS480	600mm	15mm	4.5mm	60/50



ABRASIVE DRESSING BLOCK

Used to re-dress blades after glazing or clogging of the diamond segments. Suitable for blades and segmented core drills.

11

PART NO. SIZE

*BMPH130 200mm x 50mm x 50mm



MULTI-CUT POWER BLADES

Specially designed blade for splinter free cutting. Supplied with silent centre core for noise reduction.

WET	GRANITE MARBL	E SLATE			CRYSTAL STONE	DEKTON/ NEOLITH	E
SANDWICH	CORE						
PART NO.	DIAMETER	SEGMENT HEIGHT	SEGMENT WIDTH	BOR			
*BMS3254	254mm	10mm	3mm	As re	equired		
*BMS3305	305mm	10mm	3mm	As re	equired		
*BMS3355	355mm	10mm	3mm	As re	equired		-
*BMS3400	400mm	10mm	3mm	As re	equired		-
*BMS3450	450mm	10mm	3mm	As re	equired		

DN BLADES

Specially designed, for cutting Dekton & Neolith type material.

WET	CERAMIC CRYSTAL GLASS STONE	DEKTON/ NEOLITH		D
SANDWICH	CORE			
PART NO.	DIAMETER	WIDTH	BORE/ FITTING	
*BMS3511F	115mm	1.6mm	M14	
*BMS3511	115mm	1.6mm	22.2mm	
*BMS3512F	125mm	1.6mm	M14	E
*BMS3512	125mm	1.6mm	22.2mm	
*BMS3515F	150mm	1.6mm	M14	
*BMS3515	150mm	1.6mm	22.2mm	
*BMS3518	180mm	1.6mm	22.2mm	
*BMS3523	230mm	1.6mm	22.2mm	
				F



Specially developed for horizontal cutting. These metal bond blades are ideal for thinning down worktop edges and slot cutting. Various fittings available.

PART NO.	DIAMETER	SEGMENT HEIGHT	SEGMENT WIDTH	BORE/ FITTING	
*BMS1330	300mm	10mm	4.5mm	Thibaut	
NOTE					
	available on re	quest.			
		-1			

Cutting

BLACK KNIGHT SEGMENTED DIAMOND BLADES

A unique metal bond diamond blade, combining a silent centre body for quieter running and reduced segments to enable fast clean cutting.

WET/DRY	GRANITE	STONE	ENGINEERED STONE		
PART NO.	DIAMET		EGMENT IEIGHT	SEGMENT WIDTH	BORE/ FITTING
*BMS182	125mm	2	5mm	2.5mm	22.2mm
*BMS182F	125mm	2	5mm	2.5mm	M14
*BMS185	150mm	2	5mm	2.5mm	22.2mm
*BMS185F	150mm	2	5mm	2.5mm	M14
*BMS187	180mm	2	5mm	2.5mm	22.2mm
*BMS187F	180mm	2	5mm	2.5mm	M14
*BMS189F	230mm	2	5mm	2.5mm	22.2mm/DPC


SAMURAI GULLETED BLADE


Economical diamond metal bond blade.

WET/DRY

GRANITE STONE ENGINEERED

PART NO.	DIAMETER	SEGMENT	SEGMENT	BORE/
-		HEIGHT	WIDTH	FITTING
BMS570	125mm	23.5mm	2.4mm	22.2mm






ARIX BLUE SABRE BLADES

This hybrid of the successful Blue Sabre Blade now has a new Arix style segment to give a fast cutting action together with extended life.

WET/DRY GRANITE

PART NO.	DIAMETER	SEGMENT HEIGHT	SEGMENT WIDTH	BORE/ FITTING
*BMS1805	115mm	12mm	2.2mm	22.2mm/M14
*BMS1810	125mm	12mm	2.2mm	22.2mm/M14
*BMS1815	150mm	12mm	2.2mm	22.2mm/M14
*BMS1820	180mm	12mm	2.2mm	22.2mm
*BMS1825	230mm	12mm	2.2mm	22.2mm




info@amp-teknik.dk





This metal bond diamond blade is a cost effective way of very fast and clean cutting. The body contains extra cooling holes to prevent over heating.

WET/DRY	GRANITE			ī
PART NO.	DIAMETER	SEGMENT HEIGHT	BORE/ FITTING	
*BMS118	125mm	8.5mm	22.2mm	



TILE BLADES

Continuous rim metal bond diamond tile cutting blades are designed for fast and free cutting with minimal chipping.

CELAIN			
DIAMETER	SEGMENT HEIGHT	BORE/ FITTING	
80mm	4.5mm	20mm/15mm	
100mm	4.5mm	16mm	
125mm	4.5mm	22.2mm	
180mm	4.5mm	22.2mm	
230mm	4.5mm	22.2mm	
250mm	4.5mm	22.2mm	
	80mm 100mm 125mm 180mm 230mm	DIAMETER SEGMENT HEIGHT 80mm 4.5mm 100mm 4.5mm 125mm 4.5mm 180mm 4.5mm 230mm 4.5mm	DIAMETERSEGMENT HEIGHTBORE/ FITTING80mm4.5mm20mm/15mm100mm4.5mm16mm125mm4.5mm22.2mm180mm4.5mm22.2mm230mm4.5mm22.2mm



ELECTROPLATED CONTINUOUS RIM BLADES


High quality electroplated diamond blade. Grade 44/60.

WET/DRY	MARBLE	SLATE		
PART NO.		DIAMETER	BORE/ FITTING	
*ESC142C		100mm	16mm	
*ESC162E		110mm	22.2mm	
*ESC172E		125mm	22.2mm	



A long lasting, hard wearing electroplated diamond cutting blade for professional use and ideal for cutting curves and apertures.

WET/DRY MA	RBLE SLATE			
PREMIUM				
PART NO.	DIAMETER	BORE/ FITTING	DIAMOND COAT	
*BSEV153C	100mm	16mm	Double Sided	
*BSEV163E	110mm	22.2mm	Double Sided	
*BSEV183E	125mm	22.2mm	Double Sided	
STANDARD				
*BSEV383E	125mm	22.2mm	Double Sided	



PYRAMID M14 FLANGE VANITY BLADES

With single or double side electroplated diamond coating and M14 fitting; ideal for cutting straight, or curves and apertures.

PREMIUM			
PART NO.	DIAMETER	BORE/ FITTING	DIAMOND COAT
*BSEVF183	125mm	M14	Double Sided
*BSEVF182	125mm	M14	Single Sided
STANDARD			
*BSEVF373	115mm	M14	Double Sided
*BSEVF383	125mm	M14	Double Sided
*BSEVF295	230mm	M14	Double Sided





HERCULES SIDE GRINDING BLADE

Strong metal bond blade for cutting and grinding with side grinding capabilities. The Hercules cuts and grinds with ease due to the unique side and face diamond areas.

WET/DRY	GRANITE	SLATE			
PART NO.	DIA	AMETER	SEGMENT HEIGHT	BORE/ FITTING	
*BMS540	12	5mm	25mm	M14	



BANDSAWS

Continuous rim and gulleted electroplated diamond bandsaw blades, manufactured to any size D and to fit most machines.

BLADE WIDTH	GRADE	
12mm, 19mm and 25mm	36/44	
12mm, 19mm and 25mm	44/60	
12mm, 19mm and 25mm	60/85	
12mm, 19mm and 25mm	85/100	
12mm, 19mm and 25mm	100/120	
12mm, 19mm and 25mm	150/170	
12mm, 19mm and 25mm	200/240	

A wide selection of drills is available for both site and factory use when cutting holes in granite, marble, other natural stones and engineered material. Water chucks are available for heavy duty use.

CORE DRILLS - STARRETT FITTING

Comprehensive range of diamond core drills with Starrett fitting includes metal bond and electroplated 36/44 diamond grit. Ideal for site work.

WET/DRY GRANITE

STARRETT TYPE FITTING - METAL BOND

PART NO.	DIAMETER	ARBOR
*BMH012	12mm	A1
*BMH014	14mm	A1
*BMH016	16mm	A2
*BMH020	20mm	A2
*BMH022	22mm	A2
*BMH025	25mm	A2
*BMH028	28mm	A2
*BMH030	30mm	A2
*BMH032	32mm	A2
BMH035	35mm	A2
*BMH036	36mm	A2
*BMH040	40mm	A2
*BMH045	45mm	A2
*BMH050	50mm	A2


T MARBLE

STARRETT TYPE FITTING - ELECTROPLATED

PART NO.	DIAMETER	ARBOR	
*EDH0096	14mm	A1	
*EDH0058	16mm	A1	
*EDH2532	20mm	A1	
*EDH0078	22mm	A1	
*EDH0100	25mm	A1	
*EDH0136	30mm	A1	
*EDH0114	32mm	A2	
*EDH0138	35mm	A2	
*EDH0196	40mm	A2	
*EDH1136	46mm	A2	
*EDH0200	51mm	A2	

ADAPTORS for STARRETT FITTING CORE DRILLS

PART NO.	ADAPTORS	
*MMP009	A1 to A2 Adaptor	
*MSA0A1	A1 Arbor	
*MSA0A2	A2 Arbor	
*MMP197	Continental to A2	
*MSAXA014C	6.5mm Pilot Drilll	



NOTE

M14 fitting available on request.

Drilling

CORE DRILLS - M14 FITTING

Metal Bond Diamond Core Drill with M14 fitting. The M14 fitting converts to Continental by means of the MMP195 adaptor.

WET/DRY	GRANITE	STONE	ENGINEERED STONE	MARBLE	SLATE
PART NO.		DIAMETI	ER	FITTING	3
*BMH214		14mm		M14	
*BMH220		20mm		M14	
*BMH225		25mm		M14	
*BMH230		30mm		M14	
*BMH235		35mm		M14	

CORE DRILLS - M14 FITTING

Vacuum Brazed Diamond Core Drills with M14 fitting. The M14 fitting converts to Continental by means of the MMP195 adaptor.

WET/DRY GRAN	TE STONE ENGINEERE	D MARBLE SLATE
PART NO.	DIAMETER	FITTING
*BVDH020M	20mm	M14
*BVDH025M		
	25mm	M14
*BVDH030M	30mm	M14
*BVDH032M	32mm	M14
*BVDH035M	35mm	M14

ADAPTOR for M14 FITTING CORE DRILLS

ADAPTORS					
Continental to M14 Adaptor					
		H			

info@amp-teknik.dk

Drilling

BVDH035M





MULTI-CUT CORE DRILLS FOR POP UP STOCKETS

These core drills are specifically designed for "electrical pop up sockets" in counter/ worktop islands

WET	GRANITE	MARBLE	STONE	ENGINEERED STONE	
PART NO).	DESCRI	PTION		
NMBS08	2C	Ø82mm	EPU Cor	e Drills	
NMBS10	2C	Ø102mm	EPU Co	re Drills	



KWIK CUT - CNC GRANITE DRILLS

Metal bond diamond wet cutting granite drills for use on CNC and semi automatic machines cutting at a rate of 1mm per second and will cut up to 45mm thickness material.

WET С	NC GRANITE	CRYSTAL STONE	DEKTON/ NEOLITH	
For GRANIT	E			
PART NO.	DIAMET	ER	FITTING	E
*BMD214	14mm		Continental 1/2" BSP	
*BMD220	20mm		Continental 1/2" BSP	
*BMD225	25mm		Continental 1/2" BSP	
*BMD230	30mm		Continental 1/2" BSP	
*BMD235	35mm		Continental 1/2" BSP	

info@amp-teknik.dk

121

1.1

Drilling

SOLID GRANITE DRILLS

Metal bond with centre water feed for drilling holes with a fixed drilling machine. Adaptors are available to suit any water chuck fitting.

GRANITE STONE ENGINEERED STONE

PART NO.	DIAMETER	SHANK
*BMD005	5mm	10mm
*BMD010	6mm	10mm
*BMD015	7mm	10mm
*BMD020	8mm	10mm
*BMD030	9mm	10mm
*BMD035	10mm	10mm
*BMD045	12mm	10mm
*BMD060	15mm	10mm

SOLID GRANITE DRILL ADAPTORS

PART NO.	DESCRIPTION	
*MMP054C	Continental ½" BSP : to accept 10mm dia. Shanks	
*MMP054A	Diagrit Baby Water Chuck : to accept 10mm dia. Shanks	
*MMP054H	Habit ½" BSF : to accept 10mm dia. Shanks	
*MMP199	Flex Machine - M14 to Solid Granite Drill Adaptor to accept 10mm dia. Shanks	

MMP054H

MMP054A

0

DIAGRIT WATER CHUCKS

TYPE B - Water Chuck fits most popular pillar drills enabling water to feed through the centre of core drills.

BABY WATER CHUCK - A unique small water chuck is an easy answer to supplying water coolant to the working area when drilling holes with a hand held pistol drill.

Available with all types of shank fittings.

DIAGRIT WATER CHUCK - TYPE B

PART NO.	DESCRIPTION
*MMPC05C	Continental 1/2" BSP
*MMPC05H	Habit

NOTE

Comes standard with JT6 to MT2 arbor and spanner. Other Morse Tapers available on request.

BABY WATER CHUCK

PART NO.	DESCRIPTION
*MMP008	Chuck complete with tap and pipe
*MSAXA014C	Extra carbide drills - 1/4" diameter
*MMP009	A1 to A2 Adaptor



Profiling

Diamond profile wheels for shaping are now very popular with our customers due to our ability to design and produce wheels up to 500mm diameter which can grind simple and intricate profiles into granite, marble, stone and engineered stone.




ELECTROPLATED FLUTING WHEELS

Rapid grinding of decorative flutes on the face of fireplaces, draining boards and columns. Electroplated Diamond Fluting Wheels are available in other grades and sizes in both gulleted 60% and continuous rim 100% coating.

WET	GRANITE	STONE	CRYSTAL STONE	DEKTON/ NEOLITH
60/85S G	RADE 100	% COATI	NG	
PART NC).	SIZE		
*EMW043	31E	100mm	x 10mm x	22.2mm bore
*EMW043	32E	100mm	x 12.7mm	x 22.2mm bore
*EMW043	33E	100mm	x 16mm x	22.2mm bore
*EMW043	34E	100mm	x 20mm x	22.2mm bore
*EMW255	ōΥ	250mm	x 12.7mm	x 60mm bore
*EMW305	ōΥ	300mm	x 12.7mm	x 60mm bore
*EMW405	ōY	400mm	x 12.7mm	x 60mm bore
NOTE				
For resin	n fluting wh	eels see p	age 49.	

SPECIAL TOOLS & PROFILE WHEELS

Special tools and profile wheels for grinding simple and complex profiles can be designed and manufactured to meet customers' specific needs on a relatively short lead time.



info@amp-teknik.dk

Profiling

Profiling

PRO-EDGE CNC PROFILE POLISHING SYSTEM

Developed and field tested by our engineers, the Pro-Edge CNC Profile Polishing System grinds and polishes the edges of Granite and Marble achieving a professional high gloss finish. The seven stage system is available for the most popular shapes which includes ZS40, A30^r5, V30 and F30. These profiles are available now and have central water feed with 35mm bore.

WET



These four most popular profiles for 30mm material are available for immediate delivery, with more shapes to follow. We can also produce special profiles to customer's specifications.

V30 FULL BULLNOSE PROFILE

GRANITE

PART NO.	POSITION	GRADE	
*BMWC200	0	Metal Bond	
*BBMC201	1	Vacuum Brazed	
*BBMC202	2	Vacuum Brazed	
*BMPC203	3	Resin 400	
*BMPC204	4	Resin 1000	
*BMPC205	5	Resin 2000	
*BMPC206	6	Resin 10000	

FULL BULLNOSE

AVAILABLE PROFILES



Working Parameter on CNC Machines

Wheel Deserintian	Use	Feeding	g Speed	Cutting Capacity	Spindle Rotation	
Wheel Description	USe	Marble	Granite	(mm)	RPM 4500 - 5000	
Pos#0 (Metal Bond)	Stock removal	400 - 800	500 - 600	0.3 - 0.4		
Pos#1 (Brazed)	Shaping	1000 - 1500	1000 - 1500	0.2 - 0.4	3000 - 3500	
Pos#2 (Brazed)	Honing	1500 - 2000	1200 - 1500	0.1 - 0.2	3000 - 3500	
Pos#3 (Resin)	Finishing	1500 - 2000	1200 - 1500	0.05 - 0.1	2500 - 3000	
Pos#4 (Resin)	Pre-polishing			0.00	2500 - 3000	
Pos#5 (Resin)	Polishing	- 800	1200	0.02	2500 - 3000	
Pos#6 (Resin)	Final buff			(Zero Pressure)	2500 - 3000	



SD GRINDING & POLISHING SYSTEM -

The SD system is now available after careful research and development for grinding and polishing recessed draining boards in granite and offers a simple and effective system that quickly produces an excellent quality finish. Designed to be used on semi automatic and CNC machines, the eight stage system produces superb results that most competitive systems are unable to achieve.

The Eight Stage SD System consists of: A segmented Metal Bond wheel for rapid stock removal, coarse Electroplated wheels to grind side angle and calibrate draining board surface and five grades of Resin Bond wheels which produce a fantastic high quality polish to the angle and draining board surface.

WET	CNC	GRANITE

		MAGNETIC 30°	MAGNETIC 45°
STAGE	GRADE	PART NO.	PART NO.
1 Metal Bond	Coarse	*BMW170	*BMW170
2 Electroplated	30	*EMWD301	*EMWD451
3 Electroplated	120	*EMWD302	*EMWD452
4 Red Resin	200	*RFDD303	*RFDD453
5 Yellow Resin	400	*RFDD304	*RFDD454
6 White Resin	1000	*RFDD305	*RFDD455
7 Blue Resin	2000	*RFDD306	*RFDD456
8 Orange Resin	10000	*RFDD307	*RFDD457
†Complete Set		*SMPD30	*SMPD45



=		SNAIL-LOCK 30°	SNAIL-LOCK 45°
STAGE	GRADE	PART NO.	PART NO.
1 Metal Bond	Coarse	*BMW170	*BMW170
2 Electroplated	30	*EMWD301S	*EMWD451S
3 Electroplated	120	*EMWD302S	*EMWD452S
4 Red Resin	200	*RFDD303S	*RFDD453S
5 Yellow Resin	400	*RFDD304S	*RFDD454S
6 White Resin	1000	*RFDD305S	*RFDD455S
7 Blue Resin	2000	*RFDD306S	*RFDD456S
8 Orange Resin	10000	*RFDD307S	*RFDD457S
†Complete Set		*SMPD30S	*SMPD45S

NOTE

SD System is available in sizes - Stage 1 MB 86mm or 100mm diameters. Electroplated and Resin grades 100mm diameter in 30° and 45° angles. Resin grades require 2-4 passes depending on hardness of stone. All grades must be used wet. **†COMPLETE SET 30° Magnetic & Snail-Lock** MB diamond to Orange resin, EMPD3001 30° Dressing Bar and Carrying Case. Also includes recommended one of each adaptors for machine fitting ½" BSP: Magnetic MMP170, MMP160 and BMPD012 Snail-Lock MMP170, MMP160, MMP195 and BMPD045.

†COMPLETE SET 45° Magnetic & Snail-Lock MB diamond to Orange resin, EMPD4501 45° Dressing Bar and Carrying Case. Also includes recommended one of each adaptors for machine fitting ½" BSP: Magnetic MMP170, MMP160 and BMPD012 Snail-Lock MMP170, MMP160, MMP195 and BMPD045.

RECOMMENDED SEQUENCE AND WORKING PARAMETERS FOR SD SYSTEM


RECOMMENDED STAGE SEQUENCE			FEED	RATE (mm/min)	SPINDLE	SPEED (rpm)
1 MB COARSE			500	:	3500	
2	2 ELECTROPLATED 30			500	:	3500
3	3 ELECTROPLATED 120			500 - 1000		3500
4	4 RED RESIN 200		1000 - 1200		100	0 - 1500
5	YELLOW RESIN 400			1000 - 1500	100	0 - 1500
6	WHITE RESIN	1000	0 2000 - 2500		100	0 - 1500
7	BLUE RESIN	2000	2000 - 2500		1000 - 1500	
8	ORANGE RESIN	10000		2000 - 2500	100	0 - 1500
	1	2	3	4	5	6

Profiling

PRO-GEM HS PROFILE POLISHING SYSTEM

The Pro-Gem HS wheels have been specially designed for use on portable routing and semi automatic machines and are supplied with central water feed as standard. The system is the culmination of an extensive development programme to give the user optimum performance and superior results when compared to other makes of polishing systems and hence, have become the Professionals number one choice for shaping polished profiles onto edges. Due to the thickness and hard wearing formulation of the resin, the life of these tools is extremely long and cost effective. This system consists of seven stages; continuous sintered metal bond for rapid stock removal, two grades of electroplated to shape and profile in preparation for polishing and four 4mm thick colour coded resin wheels which produce a fast superior factory finish.

GRANITE



V30 FULL BULLNOSE PROFILE

0
Г

FULL BULLNOSE

PROGEM TOOLING ADAPTORS

OMA TO 22.2mm BORE


Oma machine adaptor for Pro-Gem profile routing and polishing system.

 PART NO.
 DESCRIPTION

 MMP200
 Oma to Pro-Gem

CONTINENTAL (1/2" BSP) TO 22.2mm BORE

Pro-Gem adaptor continental (1/2" BSP) to fit semi automatic machines.




NOTE

We can produce special profiles to customer's specification. Standard Pro-Gem bore 22.2mm.

The Electroplated 40 grit is optional for stage **1** on marble. The number of passes varies according to the hardness of stone being polished.

PROFILE	ROUTERS	REDRES	SS SERVICE		
WET GRAN					
PART NO.	DESCRIPTION				
BMM001A	A20				
BMM002A	B20			Concertaint's	
BMM006A	F20				
BMM008A	H20				
BMM020A	V20				
WET MARE	BLE SLATE	DEDLAT	ESERVICE		
ELECTROPLAT		RIPLAT			
PART NO.	DESCRIPTION		63		
ERM001	A20				
ERM002	B20				
ERM006	F20				
	1100				
ERM008 ERM020	H20 V20				
ERM020	v20				
PARALLE WET GRAM METAL BOND	v20	x 40mm long.			
PARALLE WET GRAM METAL BOND	V20 L ROUTERS	x 40mm long.			
ERM020 PARALLE WET GRAN METAL BOND 216mm x 40mm PART NO. BMP020	V20 L ROUTERS In coated length, shank Ø12.7mm GRADE 30/40	x 40mm long.			
PARALLE WET GRAN METAL BOND Ø16mm x 40mm PART NO. BMP020 WET MARE ELECTROPLAT	V20 L ROUTERS ne coated length, shank Ø12.7mm GRADE 30/40				
PARALLE WET GRAN METAL BOND Ø16mm x 40mm PART NO. BMP020 WET MARE ELECTROPLAT	V20 L ROUTERS ITE n coated length, shank Ø12.7mm GRADE 30/40 BLE SLATE TED ROUTER				
PARALLE WET GRAN METAL BOND Ø16mm x 40mm PART NO. BMP020 WET MARE ELECTROPLAT Ø8mm x 30mm	V20 L ROUTERS n coated length, shank Ø12.7mm GRADE 30/40 SLE SLATE ED ROUTER coated length, shank Ø12.7mm b				
PARALLE WET GRAN METAL BOND Ø16mm x 40mm PART NO. BMP020 WET MARE ELECTROPLAT Ø8mm x 30mm	V20 L ROUTERS ITE n coated length, shank Ø12.7mm GRADE 30/40 SLATE ED ROUTER coated length, shank Ø12.7mm x				
PARALLE WET GRAM METAL BOND Ø16mm x 40mm PART NO. BMP020 WET MARE ELECTROPLAT Ø8mm x 30mm PART NO. ERD129 ERD130 NOTE	V20 L ROUTERS ITE n coated length, shank Ø12.7mm GRADE 30/40 SLE SLATE TED ROUTER coated length, shank Ø12.7mm x GRADE 30/36 36/44				
ERM020 PARALLE WET GRAN METAL BOND Ø16mm x 40mm Ø16mm x 40mm ØART NO. BMP020 WET MARE ELECTROPLAT Ø8mm x 30mm PART NO. ERD129 ERD129 ERD130	V20 L ROUTERS ITE n coated length, shank Ø12.7mm GRADE 30/40 SLE SLATE ED ROUTER coated length, shank Ø12.7mm of GRADE 30/36				





INOX VB PROFILE WHEELS

Vacuum Brazed M14 wheels designed to shape a quarter circle on edges <u>without</u> using a specialised machine! The rotary top and lower bearing guides prevents face and edge damage.

WET/DRY	GRANITE	MARBLE	STONE	CONCRETE	TERRAZZO	SLATE	В
PART NO.		RADIUS		GRADE			
*BBM205		r=5mm		36/44			
*BBM210		r=10mm		36/44			
*BBM215		r=15mm		36/44			
*BBM220		r=20mm		36/44			С
*BBM225		r=25mm		36/44			
*BBM230		r=30mm		36/44			

INOX VB CHAMFER WHEELS

Vacuum Brazed M14 wheels designed to chamfer edges <u>without</u> the need for a specialised machine!

WET/DRY	GRANITE	MARBLE STO	ONE CONCRE	TE TERRAZZO	SLATE	
PART NO.		CHAMFER S	IZE GRA	DE		
*BBM305		5mm	30/4	0		
*BBM320		20mm	30/4	0		
*BBM330		30mm	30/4	0		

VB DIAMOND PROFILE BURRS

A range of 20 shaping burrs for sculpture and detailed shaping with vacuum brazed diamond coating for strength and long life.

SLATE	CONCRETE TERRAZZO	E MARBLE STONE	WET/DRY GRANITE
	GRADE	DIAMETER	PART NO.
	36/44	6mm	*BBM100
	100/120	6mm	*BBM105

KWIK FLUTE CNC ROUTERS

Metal bond CNC routers for producing flutes in granite.

WET CNC GRANITE MARBLE

PART NO.	DIAMETER	GRADE	FITTING
*NMBRC1205	12.7mm	50	1⁄2" BSP
*NMBRC1212	12.7mm	120	1⁄2" BSP
*NMBRC1220	12.7mm	200	1⁄2" BSP
*NMBRC1240	12.7mm	400	1⁄2" BSP
*NMBRC1605	16mm	50	1⁄2" BSP
*NMBRC1612	16mm	120	1⁄2" BSP
*NMBRC1620	16mm	200	1⁄2" BSP
*NMBRC1640	16mm	400	1⁄2" BSP
*NMBRC2005	20mm	50	1⁄2" BSP
*NMBRC2012	20mm	120	1⁄2" BSP
*NMBRC2020	20mm	200	1⁄2" BSP
*NMBRC2040	20mm	400	1⁄2" BSP

KWIK FLUTE ADAPTORS & SLEEVE

PART NO. *MMP220	DESCRIPTION CNC Crown Adaptor M12 to ½" BSP	
*MMP215	Crown Adaptor with Roller Sleeve M12 to ½" BSP for shaped flutes	
*MMP216	Replacement Sleeve	

ZENESIS CNC PARALLEL ROUTERS

Zenesis uses the most advanced technology of specially selected diamonds dispersed in triangular patterns within the segments. The benefits include extra segment on tip of tool for recessed hobs, central water feed for increased cutting ability, good cutting speed, long life and competitive prices.

CNC	GRANITE	MARBLE	
-----	---------	--------	--

WET

PART NO.	SIZE	
*BMRZ2040	20mm x 40mm x 1/2" BSP Fitting	
*BMRZ2540	25mm x 40mm x 1/2" BSP Fitting	
*BMRZ2050	20mm x 50mm x 1/2" BSP Fitting	
*BMRZ2550	25mm x 50mm x 1/2" BSP Fitting	

VACUUM BRAZED CNC PARALLEL ROUTERS

Vacuum brazed diamond parallel routers to fit popular CNC and semi-automatic machines and are ideal for cutting out vanity bowls and shaped holes in marble.

WET	CNC	MARBLE		-
PART NO).	SIZE		
*SMBB05	5	17mm dia. x 55mm coa	ated length	1
1		2	3	4



Profiling

RECOMMENDED SPEED:					
Stage 1:	10,000 rpm				
Stage 2,3 & 4:	10,000 rpm				
FEED RATE:					
Stage 1:	300/500 mm/min				
Stage 2,3 & 4:	500/700 mm/min				

NOTE	
Stage 1 -	2mm depth of cut
Stage 2 -	0.3/0.5 depth of cut
Stages 3 & 4 -	0.1/0.2 depth of cut



Profiling

PRO-CUT VANITY BOWL CROWNS AND ROUTERS

Pro-Cut Crowns and Routers produce fast clean cutouts and are suitable for use on all popular semi-automatic machines including Thibaut, Ravelli and Bremor.

Pro-Cut Routers come complete with the Continental (1/2" B.S.P.) fitting and can be re-tipped.

Pro-Cut Crowns are available with M10 and M12 fittings and used in conjunction with our Continental Roller Guide Adaptor.





WET GRANITE	MARBLE	
M10 CROWN - 8n	nm diameter x 10mm	
PART NO.	MATERIAL	
NMBRC108G	Granite	
M10 CROWN - 13	Bmm diameter x 13mm	С
PART NO.	MATERIAL	
NMBRC113G	Granite	
M10 CROWN - 16	imm diameter x 20mm	
PART NO.	MATERIAL	
NMBRC116G	Granite	
		D
WET GRANITE	MARBLE	
M10 CROWN - 20)mm diameter x 20mm	
PART NO.	MATERIAL	
*NMBRC120	Multicut	
*NMBRC120G	Granite	E
*NMBRC120M	Marble	
M12 CROWN - 20)mm diameter x 20mm	
PART NO.	MATERIAL	
*NMBRC020	Multicut	
*NMBRC020G	Granite	
*NMBRC020M	Marble	F
CROWN ADAPTC	DR	
PART NO.	DESCRIPTION	
MMP205	M10 Adaptor with Roller Sleeve	
*MMP215	M12 Adaptor with Roller Sleeve	
*MMP216	Replacement Roller Sleeve	-
		0
WET GRANITE	MARBLE	
ROUTERS - Cont	tinental (½" BSP) Fitting	
PART NO.	MATERIAL	
*NMBR020	Multicut	
*NMBR020G	Granite	Н
*NMBR020M	Marble	
Retip	NMBR Type	
A RED AND THE R	4 5 6	SUPPORT

VIKING DISCS

Manufactured with vacuum brazed diamonds for rapid grinding. These discs can be used wet or dry, on both floor and hand held machines.

WET/DRY	GRANITE	STONE			
PART NO.	DIAN	IETER	GRADE	FITTING	
*BMW060	100n	nm	30	QRS	
*BMW061	100n	nm	30	M14	
*BMW065	125n	nm	30	QRS	

RAPIER DISCS

Vacuum brazed diamond discs for producing architectural detail, chamfering and shaping. M14 spindle makes for easy fitting to most angle grinders.

WET/DRY	MARBLE S	TONE TERRAZZO	
PART NO.	DIAM	ETER GRAI	E FITTING
*BBM250	100mr	n Coars	e M14

DIA-BOARD DISCS

WET/DRY

Electroplated diamond grinding discs with QRS colour code backing.

PART NO.	DIAMETER	GRADE	FITTING	
*BMP600	100mm	Green 50	QRS	
*BMP605	100mm	Black 120	QRS	
*BMP610	100mm	Red 200	QRS	


TROJAN DISC

Vacuum brazed diamond with QRS backing for rapid grinding.

PART NO.	DIAMETER	GRADE	FITTING	
*BMW050	100mm	Coarse	QRS	




Grinding



Grinding

An extensive range of diamond grinding discs and wheels for hand machines grinding granite, marble, stone, engineered stone and ceramics. All types of fittings are available.





Single or twin rimmed turbo - for smooth finish and extended life. "T" segment - for rapid stock removal.

WET CONCR	RETE MASONRY STONE		
TWIN RIM			
PART NO.	DIAMETER	FITTING	
*BMW110	100mm	22.2mm bore	
*BMW130	115mm	22.2mm bore	
*BMW140	100mm	M14	
*BMW120	178mm	22.2mm bore	
"T" SEGMENT			
PART NO.	DIAMETER	FITTING	
*BMW125	178mm	22.2mm bore	

DIA-GRIND CUP WHEELS

Grinding cup wheels with Ø100mm x 22.2mm bore or Snail-Lock fitting.

WET/DRY	GRANITE	MARBLE	STONE		
PART NO.	DIA	METER	GRAD	E FITTING	
*BMW410	100)mm	30/40	22.2mm bore	
*BMW410F	100)mm	60/80	22.2mm bore	
*BMW410S	5 100)mm	30/40	Snail-Lock	F

CYCLONE FLAT WHEELS

Grinding wheels with Ø100mm x M14 or Snail-Lock fittings.

PART NO.	DIAMETER	GRADE	FITTING	
*BMW105	100mm	Coarse	M14	
*BMW105S	100mm	Coarse	Snail-Lock	
*BMW107	100mm	Fine	M14	
*BMW107S	100mm	Fine	Snail-Lock	

Grinding

TITAN DRY GRINDING DISCS

Developed with vacuum brazed diamond for rapid stock removal. The discs fit directly onto an angle grinder.

WET/DRY	GRANITE	MARBLE	STONE	CERAMICS	STONE		
ART NO.	DIA	METER	GRAD)F	FITTING		_
3MW075			40			ore	
3MW085	178	3mm	40		22.2mm b	ore	
	ART NO. BMW075	ART NO. DI BMW075 115	ART NO. DIAMETER BMW075 115mm	ART NO. DIAMETER GRAD BMW075 115mm 40	WEI/DRY GRANITE MARBLE STONE CERAMICS ART NO. DIAMETER GRADE 3000000000000000000000000000000000000	ART NO. DIAMETER GRADE FITTING BMW075 115mm 40 22.2mm b	WEI/DRY GRANITE MARBLE STONE STONE ART NO. DIAMETER GRADE FITTING BMW075 115mm 40 22.2mm bore

DIA-DRY DIAMOND DISCS

Electroplated diamond grinding discs.

WET/DRY	GRANITE	MARBLE	ENGINEERED STONE	CERAMICS	STONE	
PART NO.	DI	AMETER	GRAD	E	FITTING	
*EMP110	10	0mm	36/44		16mm bore	
*EMP115	10	0mm	44/60		16mm bore	
*EMP120	10	0mm	60/85		16mm bore	
*EMP150	18	0mm	36/44		22.2mm bore	

DIANA T30 FLAT DISH WHEELS

T30 dish wheels are Ø100mm with M14 thread for direct mounting onto an angle grinder.

WET/DRY	GRANITE	MARBLE	STONE	CERAMICS	STONE	
PART NO.	DI	AMETER	GRAD	F	FITTING	
*BMW020		0mm	Green		M14	
*BMW025	10	0mm	Red 1	50/170	M14	

METAL BOND MINI GRINDING DRUMS -

Mini CNC 25mm diameter drums with central water feed are ideal for grinding tight corners and produce a good honed finish on granite edges.

Can be used as an option in place of electroplated Mini Chevron Drums.

DTNO	0175	00405	FITTING
PART NO.	SIZE	GRADE	FITTING
*SMB705	25mm x 40mm	MB1-50	1⁄2" BSP/M14
*SMB710	25mm x 40mm	MB2-120	1⁄2" BSP/M14
*SMB715	25mm x 40mm	MB3-200	1/2" BSP/M14
*SMB720	25mm x 40mm	MB4-400	1/2" BSP/M14







VACUUM BRAZED DRUMS

With M14 fitting for use on Angle grinders. Can be used to grind inside sink cut-outs. The vacuum brazed diamonds allow rapid grinding with good life.

WET/DRY	GRANITE MARBLE	STONE		В
PART NO.	SIZE	GRADE	FITTING	
*BBM002	20mm x 40mm	50	M14	
*BBM005	50mm x 50mm	40	M14	
*BBM007	50mm x 50mm	50	M14	
*BBM010	75mm x 50mm	40	M14	
*BBM012	75mm x 50mm	50	M14	С
*BBM015	82mm x 50mm	40	M14	

CUSHIONED DRUMS

These electroplated diamond cushioned drums with M14 fitting are a versatile solution for grinding apertures.

WET/DRY G	RANITE MARBLE S	STONE		
PART NO.	SIZE	GRADE	FITTING	
*EMP054	75mm x 50mm	36/44	M14	
*EMP055	75mm x 50mm	60/85	M14	
EMP138	50mm x 50mm	36/44	M14	
*EMP140	50mm x 50mm	60/85	M14	

DRUM ADAPTOR

Drum Adaptor for ($\frac{1}{2}$ " BSP), Continental to M14 fitting for 50mm/75mm diameters Cushioned and Vacuum Brazed Drums.

PART NO.	DESCRIPTION	
*MMP193	Continental to M14	

GS DRUM - M14 FITTING

Metal bond segmented drum, designed for rapid stock removal.

PART NO.	SIZE	FITTING	
*BMW160	75mm x 35mm	M14	
NOTE			



to size.		and calibrating slabs	ESS SERVICE
WET GRAI	NITE	REDIE	
PART NO.	SIZE	FITTING	
*BMW635	350mm x 20mm	60mm/50mm bore	
*BMW640	400mm x 20mm	60mm/50mm bore	
PREMIUM			
PART NO.	SIZE	FITTING	
*BMW230	300mm x 20mm	60mm/50mm bore	
*BMW235	350mm x 20mm	60mm/50mm bore	
*BMW240	400mm x 20mm	60mm/50mm bore	
*BMW245	450mm x 25mm	60mm/50mm bore	

SD MILLING WHEELS

GRANITE

For recessing drainers, premium fast grinding wheels for use on popular Semi Automatic machines.

PART NO.	SIZE	FITTING
*BMW170	86mm x 30mm	50mm bore
*MMP170	SD Continental Adaptor	1⁄2" BSP

LINE BREAKERS

Designed and manufactured to remove tram lines and machine marks. Fittings 22mm and 35mm bores or $\frac{1}{2}$ " BSP

*RPW205 Ø15mm x 40mm ½" BSP *RPW207 Ø20mm x 40mm ½" BSP *RPW210 Ø40mm x 40mm 22mm bore	
*RPW210 Ø40mm x 40mm 22mm bore	
*RPW215 Ø60mm x 40mm 22mm bore	
*RPW220 Ø80mm x 40mm 35mm bore	

11



's requirements.

Grinding



info@amp-teknik.dk

REDRESS SERVICE

Polishing

ELECTROFLEX DIAMOND PRODUCTS

A range of well proven diamond polishing systems which are colour coded for easy grade identification and this colour coding is applicable to all Electroflex polishing systems.


Electroflex material combines the long life and aggressive cutting action of diamond with the flexibility of the backing material, enabling tools in various shapes to quickly grind and polish stone, marble and other hard materials.

Normally for marble, granite, engineered stone and terrazzo materials seven grades are recommended.

METALGreen , Black, Red, Gold, Yellow, White & BlueRESINWhite, Blue and Orange

ELECTROFLEX DISCS

For wet polishing on hand and fixed machines. All sizes, grades, backings and fixings available including QRS, self-adhesive, M14 and snail-lock.



QRS BACKED DISCS

Quick Release Backed Discs ENGINEERE GRANITE TERRAZZO STON GRADE PART NO. SIZE *BEPN069A 100mm M60 *BEPN069C 100mm M120 100mm M200 *BEPN069D *BEPN069E 100mm M400 M800 BEPN069F 100mm 100mm M1800 BEPN069J 100mm *BEPN069G R800 100mm *BEPN069H R1800 100mm *BEPN069I R12000

QRS BACKUP PADS - Ø100mm

PART NO.	TYPE	FITTING	
SINGLE CENTR	AL WATER FEED H	OLE	
*MMP070	Flat	M14	
*MMP080	Flat	M16	G
*MMP075	Flat	Snail-Lock	
*MMP070C	Cushioned	M14	
*MMP080C	Cushioned	M16	
*MMP075C	Cushioned	Snail-Lock	
RUBBER TYPE			
*BMP143	Semi Rigid	M14	
ALUMINIUM			H
*BMP133		M14	
3	A.	5	6

info@amp-teknik.dk

GRADE IDENTIFICATION

	Green M60 — 250µ Extra Coarse
) N	Grit M120 — 125µ Coarse
EIAL (I	Grit M200 — 74µ Medium
Σ	Grit M300 — 64µ Medium-Smooth
	Grit M400 — 40-50

Smooth

Fine
Grit M1800 — 6-12µ Super-Fine
Grit R800 — 20-30µ ⁻ ine

METAL (M)

RESIN (R)

Grit M800 — 20-30µ

Grit R1800 — 6-13µ Super-Fine

Grit R12000 — 1-3µ Micro-Fine

27

WET	GRANITE	MARBLE	STONE	ENGINEERED STONE	TERRAZZO
GRADE		PART N	10.	SIZE	
M60		*BEPN2	*BEPN295A		
M120		*BEPN2	*BEPN295C		
M200		*BEPN2	295D	100mm	
M400		*BEPN2	295E	100mm	
M800		*BEPN2	295F	100mm	
M1800		*BEPN2	295J	100mm	
R800		*BEPN2	295G	100mm	
R1800		*BEPN2	295H	100mm	
R12000		*BEPN	1231	100mm	




Polishing

ELECTROFLEX M14 DISCS

Diamond flexible discs Ø100mm with M14 backing

WET	GRANITE	MARBLE	STON	E ENGINEERED STONE	TERRAZZO
GP	ADE	PART		SIZE	FITTING
M60	ADL	*BEPN		100mm	M14
M120		*BEPN	090	100mm	M14
M200		*BEPN	095	100mm	M14
M400		*BEPN	100	100mm	M14
M800		BEPN	102	100mm	M14
M1800		BEPN	103	100mm	M14
R800		*BEPN	105	100mm	M14
R1800		*BEPN	110	100mm	M14
R12000		BEPN	112	100mm	M14



M14 DISC ADAPTORS

This polishing disc adaptor enables the use of a M14 plastic backed disc, stopping the machine thread from pushing through to the polishing face of the disc.

PART NO.	DESCRIPTION			
MMP	M16 to M14			
*MMP687	M14 to M14			
*MMP195	Continental to M14			
*MMP195	Continental to M14			

10



info@amp-teknik.dk

For grinding and polishing the edges and surfaces identification and are available in the following opt Hand Pads - Standard 75mm x 75mm, 90mm x 55mm and 100mm x 55		ionale. 7 in hana pade have color	r boube round buoking for buby grad
75mm x 75mm, 90mm x 55mm and 100mm x 55			
Metal Grades: 60 - 1800 grit Resin Grades: 800 - 12000 grit	mm		
	FLAT		
			NEERED TERRAZZO
		75mm x 75mm	90mm x 55mm
	GRADE	PART NO.	PART NO.
	M60	*BEPN165	*BEPN702
	M120	*BEPN175	*BEPN712
	M200	*BEPN180	*BEPN717
	M400	*BEPN185	*BEPN722
	M800	BEPN187	*BEPN723
	M1800	BEPN189	BEPN727
	R800	*BEPN190	*BEPN724
	R1800 R12000	*BEPN195 BEPN197	*BEPN725 BEPN726
	CUSHIO		NEERED TERRAZZO
		SRANITE MARBLE STONE ENGI ST	
	WET C	iranite marble stone engi stone engi 90mm x 55mm	100mm x 55mm
		SRANITE MARBLE STONE ENGI ST	
	GRADE	SRANITE MARBLE STONE ENGINST 90mm x 55mm PART NO.	100mm x 55mm PART NO.
	GRADE M60	SRANITE MARBLE STONE ENGL STONE STONE 90mm x 55mm PART NO. *BEPN202	100mm x 55mm PART NO. *BEPN200
	е с с с с с с с с с с с с с с с с с с с	SRANITE MARBLE STONE ENGINERANITE MARBLE STONE ENGINERATION PART NO. *BEPN202 *BEPN212 *BEPN217 *BEPN222	Interview 100mm x 55mm PART NO. *BEPN200 *BEPN210 *BEPN215 *BEPN220 *BEPN220
	WET 0 GRADE M60 M120 M200 M400 M800	SRANITE MARBLE STONE ENGINE 90mm x 55mm PART NO. *BEPN202 *BEPN212 *BEPN217 *BEPN222 BEPN223	Interview Interview <t< td=""></t<>
	WET C GRADE M60 M120 M200 M400 M800 M1800	RANITE MARBLE STONE ENGINE 90mm x 55mm PART NO. *BEPN202 *BEPN212 *BEPN217 *BEPN222 BEPN223 BEPN224	Interview Interview <t< td=""></t<>
	еректика Состатория Состато	PARTINO. *BEPN202 *BEPN212 *BEPN217 *BEPN222 BEPN223 BEPN224 *BEPN227	Intervention Intervention PART NO. *BEPN200 *BEPN210 *BEPN215 *BEPN220 BEPN220 BEPN220 BEPN220 BEPN221 BEPN221 BEPN223 *BEPN228 *BEPN225 *BEPN225
	WET C GRADE M60 M120 M200 M400 M800 M1800	RANITE MARBLE STONE ENGINE 90mm x 55mm PART NO. *BEPN202 *BEPN212 *BEPN217 *BEPN222 BEPN223 BEPN224	Interview Interview <t< td=""></t<>

Polishing

ELECTROFLEX PROFILE DIAMOND HAND PADS

For grinding and polishing the edges and surfaces of a wide range of materials. All hand pads have colour coded foam backing for easy grade identification and are available in the following options:-

OGEE

Hand Pads - Profiled

A20, A30, A40, B	20, B30, F20, F30, F40, H20, H30 V20, V30 & V40
Metal Grades:	60 - 1800 grit
Resin Grades:	800-12000 grit


OGEE F20 PROFILE

WET	GRANITE	MARBLE	STONE	ENGINEERED STONE	TERRAZZO		
GRADE		PART NO.					
M60		*BEPN0062A					
M120		*BEPN0062C					
M200		*BEPN0062D					
M400		*BEPN	0062E				
M800		*BEPN	0062F				
M1800		*BEPN	0062J				
R800		*BEPN0062G					
R1800		*BEPN	0062H				
R12000		*BEPN	00621				

NOTE

Also available for material thickness 30mm & 40mm. s on request.

OTHER PROFILES ALSO AVAILABLE



DIA-MET DIAMOND HAND PADS

For rapid hand grinding.

		STONE TERRALZO		2022002260
PART NO.	COLOUR	GRADE	66600	020002000
*BHP005	Green	60	0000	
BHP010	Black	120	6866	A AR
BHP015	Red	200	800	



ELECTROFLEX EXPANDING RUBBER DRUM BELTS

Good quality, long lasting, flexible diamond colour coded belts for use on expanding rubber drums for grinding, shaping and polishing internal cut-outs and flat edges.



WET	GRANITE MARBLE STONE	ENGINEERED STONE TERRAZZO
GRADE	PART NO.	PART NO.
	Ø75mm x 38mm	wide Ø75mm x 50mm wide
M60	*BEPN582	*BEPN575A
M120	*BEPN584	*BEPN575C
M200	*BEPN586	*BEPN575D
M400	*BEPN588	*BEPN575E
M800	BEPN589	BEPN575F
M1800	BEPN593	BEPN575J
R800	*BEPN590	*BEPN575G
R1800	*BEPN592	*BEPN575H
R12000	BEPN594	BEPN575I
	Ø100mm x 38mn	n wide Ø150mm x 38mm wide
M60	BEPN605A	*BEPN525
M120	*BEPN605C	*BEPN535
M200	*BEPN605D	*BEPN540
M400	*BEPN605E	*BEPN545
M800	BEPN605F	BEPN547
M1800	BEPN605J	BEPN548
R800	*BEPN605G	*BEPN550
R1800	*BEPN605H	*BEPN555
R12000	BEPN605I	BEPN557

EXPANDING RUBBER DRUMS

To fit flexible diamond belts.

PART NO.	SIZE	BORE	
*BES580	75mm x 38mm	25mm	F
*BES605	100mm x 38mm	25mm	
*BES520	150mm x 38mm	50mm	
NOTE			
Reducing bush	for bore available.		

RUBBER DRUM ADAPTOR

Continental to 75mm/100mm Expanding Rubber Drum for use on semi automatic machines.

PART NO.	DESCRIPTION	
*MMP190	Continental to 75mm/100mm	

EXPANDING RUBBER MANDRELS AND ELECTROFLEX DIAMOND BANDS

Flexible diamond continuous spiral bands for use with rubber mandrels that expand when in use securely holding the band, have been designed for light grinding, shaping and polishing.

WET GF	RANITE MARBLE STONE ENGINEERE	D TERRAZZO	
GRADE	PART NO.	PART NO.	
	Ø10mm x 20mm wide	Ø15mm x 30mm wide	
M60	BEPN3010A	BEPN3015A	
M120	BEPN3010C	BEPN3015C	
M200	BEPN3010D	BEPN3015D	
M400	BEPN3010E	BEPN3015E	
M800	BEPN3010F	BEPN3015F	
M1800	BEPN3010J	BEPN3015J	
R800	BEPN3010G	BEPN3015G	
R1800	BEPN3010H	BEPN3015H	GARTHONSKIN .
R12000	BEPN3010I	BEPN3015I	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
	7 00 00 11		3//2232/A
	Ø22mm x 20mm wide	Ø25mm x 25mm wide	
M60	BEPN3020A	BEPN3025A	
M120	BEPN3020C	BEPN3025C	
M200	BEPN3020D	BEPN3025D	
<mark>M400</mark>	BEPN3020E	BEPN3025E	
M800	BEPN3020F	BEPN3025F	
M1800	BEPN3020J	BEPN3025J	
R800	BEPN3020G	BEPN3025G	
R1800 R12000	BEPN3020H BEPN3020I	BEPN3025H BEPN3025I	
	Ø30mm x 30mm wide BEPN3030A	Ø45mm x 30mm wide BEPN3035A	
M60			
M120	BEPN3030C	BEPN3035C	
M200	BEPN3030D BEPN3030E	BEPN3035D	
M400	BEPN3030F	BEPN3035E BEPN3035F	
M800	BEPN3030J	BEPN3035J	
M1800	BEPN3030G	BEPN3035G	8 10 3
R800 R1800	BEPN3030H	BEPN3035H	FRIN
R12000	BEPN3030I	BEPN3035I	
EXPANDING	RUBBER MANDRELS		
	SIZE		
PART NO. *BES3010	10mm x 20mm, Shank Ø6m	nm	
*BES3015	15mm x 30mm, Shank Ø6m		
*BES3020	22mm x 20mm, Shank Ø6m		
*BES3025	25mm x 25mm, Shank Ø6m		
*BES3025	30mm x 30mm, Shank Ø6m		
*BES3030	45mm x 30mm, Shank Ø6m		
DE33033			
1	2	3 4	5 6

info@amp-teknik.dk

Polishing



ELECTROFLEX DIAMOND VANITY DRUMS

M14 fitting drums with central water feed for hand or machine grinding and polishing internal cutouts.

WET	GRANITE	MARBLE	STONE	ENGINEERED STONE	TERRAZZO		E
GRADE	P	ART NO.			PART N	0.	
		Ø50mm	x 42mm	n wide	Ø75	imm x 50mm wide	
M60	*	BEPN493N			*BEPN5	20A	-
M120	*	BEPN495N			*BEPN5	20C	
M200	*	BEPN500N			*BEPN5	20D	
M400	*	BEPN505N			*BEPN5	20E	1
M800		BEPN507N			BEPN5	20F	
M1800		BEPN508N			BEPN5	20J	
R800	*	BEPN510N			*BEPN5	20G	
R1800	*	BEPN515N			*BEPN5	20H	-
R12000	- 1	BEPN516N			BEPN5	201	

DRUM ADAPTOR

Drum Adaptor for (½" BSP), Continental to M14 fitting for 50mm/75mm diameters Electroflex Vanity Drums.

PART NO.	FITTING
*MMP193	Continental to M14


NOTE

For Grinding Drums see page 25.


ELECTROFLEX ORBITAL SANDER SHEETS

EOS502 diamond flexible QRS backed pads for grinding and polishing flat surfaces and up into tight corners.

GRADE PART NO. SIZE M60 *BEPN400 210mm long x 115mm wide M120 *BEPN405 210mm long x 115mm wide M200 *BEPN410 210mm long x 115mm wide M400 BEPN415 210mm long x 115mm wide M800 BEPN417 210mm long x 115mm wide M800 BEPN418 210mm long x 115mm wide R800 *BEPN420 210mm long x 115mm wide	*BEPN400210mm long x 115mm wide*BEPN405210mm long x 115mm wide*BEPN410210mm long x 115mm wideBEPN415210mm long x 115mm wideBEPN417210mm long x 115mm wideBEPN418210mm long x 115mm wideBEPN418210mm long x 115mm wide*BEPN420210mm long x 115mm wideBEPN425210mm long x 115mm wide				
M120 *BEPN405 210mm long x 115mm wide M200 *BEPN410 210mm long x 115mm wide M400 BEPN415 210mm long x 115mm wide M800 BEPN417 210mm long x 115mm wide M800 BEPN418 210mm long x 115mm wide M1800 BEPN418 210mm long x 115mm wide R800 *BEPN420 210mm long x 115mm wide	*BEPN405210mm long x 115mm wide*BEPN410210mm long x 115mm wideBEPN415210mm long x 115mm wideBEPN417210mm long x 115mm wideBEPN418210mm long x 115mm wide*BEPN420210mm long x 115mm wideBEPN425210mm long x 115mm wide	GRADE	PART NO.	SIZE	
M200 *BEPN410 210mm long x 115mm wide M400 BEPN415 210mm long x 115mm wide M800 BEPN417 210mm long x 115mm wide M800 BEPN418 210mm long x 115mm wide M800 BEPN418 210mm long x 115mm wide M800 BEPN418 210mm long x 115mm wide M800 BEPN420 210mm long x 115mm wide	*BEPN410210mm long x 115mm wideBEPN415210mm long x 115mm wideBEPN417210mm long x 115mm wideBEPN418210mm long x 115mm wide*BEPN420210mm long x 115mm wideBEPN425210mm long x 115mm wide	M60	*BEPN400	210mm long x 115mm wide	
M400 BEPN415 210mm long x 115mm wide M800 BEPN417 210mm long x 115mm wide M1800 BEPN418 210mm long x 115mm wide R800 *BEPN420 210mm long x 115mm wide	BEPN415210mm long x 115mm wideBEPN417210mm long x 115mm wideBEPN418210mm long x 115mm wide*BEPN420210mm long x 115mm wideBEPN425210mm long x 115mm wide	M120	*BEPN405	210mm long x 115mm wide	
M800 BEPN417 210mm long x 115mm wide M1800 BEPN418 210mm long x 115mm wide R800 *BEPN420 210mm long x 115mm wide	BEPN417210mm long x 115mm wideBEPN418210mm long x 115mm wide*BEPN420210mm long x 115mm wideBEPN425210mm long x 115mm wide	M200	*BEPN410	210mm long x 115mm wide	
M1800 BEPN418 210mm long x 115mm wide R800 *BEPN420 210mm long x 115mm wide	BEPN418210mm long x 115mm wide*BEPN420210mm long x 115mm wideBEPN425210mm long x 115mm wide	M400	BEPN415	210mm long x 115mm wide	
R800 *BEPN420 210mm long x 115mm wide	*BEPN420 210mm long x 115mm wide BEPN425 210mm long x 115mm wide	M800	BEPN417	210mm long x 115mm wide	
	BEPN425 210mm long x 115mm wide	M1800	BEPN418	210mm long x 115mm wide	
		R800	*BEPN420	210mm long x 115mm wide	
R1800 BEPN425 210mm long x 115mm wide	*BEPN426 210mm long x 115mm wide	R1800	BEPN425	210mm long x 115mm wide	
R12000 *BEPN426 210mm long x 115mm wide		R12000	*BEPN426	210mm long x 115mm wide	







ELECTROFLEX DIAMOND SHEETS

For hand polishing, flexible material can be supplied in sheets of various sizes and backings including unbacked (canvas), QRS (quick release), self-adhesive and Plastazote.

Electroflex:

Metal Grades 60 - 120 – Sheet Dimensions 850mm x 290mm Metal Grades 200 - 1800 – Sheet Dimensions 3000mm x 290mm Resin Grades 800 - 12000 – Sheet Dimensions 650mm x 290mm

	WET	GRANITE	MARBLE	STONE	ENGINEERED STONE	TERRAZZO	
--	-----	---------	--------	-------	---------------------	----------	--

SHEET	SIZE	100mm	X	55mm	
					ł

GRADE	PART NO.	PART NO.	
	UNBACKED	PLASTAZOTE	
M60	*BEPN905A	*BEPN250A	
M120	*BEPN905C	*BEPN250C	_
M200	*BEPN905D	*BEPN250D	
M400	*BEPN905E	*BEPN250E	
M800	*BEPN905F	*BEPN250F	
M1800	*BEPN905J	*BEPN250J	1
R800	*BEPN905G	*BEPN250G	
R1800	*BEPN905H	*BEPN250H	
R12000	*BEPN905I	*BEPN250I	

Other sizes and backings available on request.

DIAMOND SHARP BLOCK


Diamond Electroflex strips set on a plastic block specifically for sharpening, chisels and knives.

WET/DRY			
BLOCK			F
GRADE M200	PART NO. *BEPN430		
M400 REPLACEMEN	IT STRIPS 135mm x 50mm		
GRADE	PART NO.		C
M120	*BEPN431C		
M200	*BEPN431D		
M400	*BEPN431E		
REPLACEMEN	NT STRIPS 135mm x 25mm	1	
GRADE	PART NO.		
M120	*BEPN430C		1
M200	*BEPN430D		
M400	*BEPN430E		
STATES AND AND	4	5	6

3 STEP POLISHING SYSTEM

Diamond 3 Step system with QRS backing for polishing with only three stages saving both time and money while quickly achieving a very professional finish, particularly when used wet.

WET/DRY GRANI	TE ENGINEERED STONE	
PART NO.	DIAMETER	STAGE
*BWPD705	100mm	
*BWPD710	100mm	2
*BWPD715	100mm	3
*BWPD700	100mm	Complete Set
*BWPD755	125mm	
*BWPD760	125mm	2
*BWPD765	125mm	3
*BWPD750	125mm	Complete Set



Polishing

CERAMICA FLEXIBLE DIAMOND RESIN DISCS

ENGINEERED


For dry polishing, quickly achieving high gloss finish. QRS backed 100mm diameter discs with a maximum speed of 2500 rpm.

	STONE		
PART NO.	DIAMETER	GRADE	
*BDPC005	100mm	Blue 50	
*BDPC010	100mm	Yellow 100	
*BDPC015	100mm	Orange 200	
*BDPC020	100mm	Red 400	
*BDPC025	100mm	Green 800	
*BDPC030	100mm	Turquoise 1500	
*BDPC035	100mm	Brown 3000	
*BDPC040	100mm	Black Buff	
*BDPC045	100mm	White Buff	
*BDPC100	100mm	Complete set	

QRS BACKUP PADS

WET/DRY GRANITE MARBI

PART NO.	DESCRIPTION
SINGLE CENTR	AL WATER FEED HOLE
*BMP043	Flat Type - Ø125mm - M14
*MMP070	Flat Type - Ø100mm - M14
*MMP070C	Cushioned - Ø100mm - M14
ALUMINIUM	
*BMP133	Ø100mm - M14





PANTHER FLEXIBLE DISCS

Resin diamond polishing discs are ideal for achieving an excellent high gloss finish. These 100mm diameter QRS backed discs are very fast working and are 3mm thick giving long life.

WET GRANIT	E ENGINEERED STONE		В
	DIAMETER		
PART NO. BWPD105		GRADE	
	100mm	Green 50	
BWPD110	100mm	Black 100	
BWPD115	100mm	Red 200	
BWPD120	100mm	Yellow 400	C
BWPD125	100mm	White 800	
BWPD130	100mm	Blue 1500	
BWPD135	100mm	Orange 3000	
BWPD140	100mm	Brown buff	
BWPD150	100mm	Complete Set	

SUPREME FLEXIBLE DIAMOND DISCS

These all-in-one Ø100mm, QRS backed super flexible diamond discs have been manufactured incorporating advanced stone polishing technology specially formulated to reduce stages down to 5, to increase speed of operation, and to give a better finish.

WET	GRANITE	MARBLE	ENGINEERED STONE	TERRAZZO	
		_			
PART NO	•	DIAMET	ER	STAGE	
*BWPD60	5	100mm		White 1	
*BWPD61	0	100mm		Blue 2	
*BWPD61	5	100mm		Orange 3	
*BWPD62	0	100mm		Green 4	
*BWPD62	5	100mm		Red 5	
*BWPD60	0	100mm		Complete Set	

QRS BACKUP PADS

PART NO.	DESCRIPTION	
SINGLE CENTR	RAL WATER FEED HOLE	
*MMP070	Flat Type - Ø100mm - M14	
*MMP070C	Cushioned - Ø100mm - M14	
ALUMINIUM		
*BMP133	Ø100mm - M14	

Polishing

KWIK-FLEX FLEXIBLE DISCS

GRANITE

Polishing system having been developed from the Dia-Dot formula with many improvements using advanced diamond bond technology resulting in up to 30% extra life and less time per grade to achieve a superior high gloss finish.

PART NO.	DIAMETER	GRADE
*RFD230	80mm	Green 60
*RFD232	80mm	Black 120
*RFD235	80mm	Red 200
*RFD237	80mm	Yellow 400
*RFD240	80mm	White 1000
*RFD242	80mm	Blue 2000
*RFD245	80mm	Orange 10000
*RFD247	100mm	Brown 40
*RFD250	100mm	Green 60
*RFD255	100mm	Black 120
*RFD260	100mm	Red 200
*RFD265	100mm	Yellow 400
*RFD270	100mm	White 1000
*RFD275	100mm	Blue 2000
*RFD280	100mm	Orange 10000
*RFD288	125mm	Green 60
*RFD290	125mm	Black 120
*RFD292	125mm	Red 200
*RFD294	125mm	Yellow 400
*RFD296	125mm	White 1000
*RFD298	125mm	Blue 2000
*RFD299	125mm	Orange 10000

271


10

QRS BACKUP PADS

PART NO.	DESCRIPTION		
SINGLE CENTR	RAL WATER FEED HOLE	and the second	
MMP067	Flat - Ø80mm - M14		
MMP070	Flat - Ø100mm - M14		
BMP043	Flat - Ø125mm - M14		
MMP067C	Cushioned - Ø80mm - M14		
MMP070C	Cushioned - Ø100mm - M14		
BMP133	Ø100mm - M14		A CONTRACT OF A

info@amp-teknik.dk

102



Polishing

PUMA FLEXIBLE RESIN DISCS

A good performing \emptyset 100mm flexible diamond resin disc available at a very competitive . These discs very quickly grind and polish, achieving a high gloss polished finish.

WET GRANIT	TE		E
PART NO.	DIAMETER	GRADE	
BWPD005	100mm	Green 50	
BWPD015	100mm	Black 100	
BWPD020	100mm	Red 200	
BWPD025	100mm	Yellow 400	
BWPD030	100mm	White 800	0
BWPD035	100mm	Blue 1500	
BWPD040	100mm	Orange 3000	
BWPD045	100mm	Green Buff	
BWPD100	100mm	Complete Set	

DIA-GEM FLEXIBLE DIAMOND DISCS

Flexible resin discs for polishing with all grades in white resin to ensure no staining on light coloured marble. Coloured coded by QRS backing.

WET	MARBLE	
		E
PART NO.	DIAMETER	R GRADE
*BEPNI082	100mm	White 60
*BEPNI087	100mm	Black 140
*BEPNI092	100mm	Red 300
*BEPNI097	100mm	Yellow 800
*BEPNI102	100mm	White 1200
*BEPNI107	100mm	Blue 1800
*BEPNI112	100mm	Orange 12000

QRS BACKUP PADS - Ø100mm

PART NO.	TYPE	FITTING	
SINGLE CENTR	AL WATER FEED H	OLE	
*MMP070	Flat	M14	
*MMP070C	Cushioned	M14	
ALUMINIUM			
*BMP133		M14	
	4	5	6

DIA-DOT SOLID DISCS

Premium solid discs for polishing flat surfaces. Colour coded by backing in Ø100mm with M14 or snail-lock fittings.

PART NO.	DIAMETER	GRADE	FITTING
RFD130	100mm	Green 60	M14
RFD135	100mm	Black 120	M14
RFD140	100mm	Red 200	M14
RFD145	100mm	Yellow 400	M14
*RFD150	100mm	White 1000	M14
*RFD155	100mm	Blue 2000	M14
RFD165	100mm	Green 60	Snail-Lock
RFD170	100mm	Black 120	Snail-Lock
RFD175	100mm	Red 200	Snail-Lock
*RFD180	100mm	Yellow 400	Snail-Lock
'RFD185	100mm	White 1000	Snail-Lock
*RFD190	100mm	Blue 2000	Snail-Lock



Polishing

DIA-SOL DISCS

A premium solid disc for polishing flat edges. Colour Coded by backing in Ø100mm with M14 or snail-lock fittings.

ART NO.	DIAMETER	GRADE	FITTING
RFD005	100mm	Green 60	M14
RFD010	100mm	Black 120	M14
RFD015	100mm	Red 200	M14
RFD020	100mm	Yellow 400	M14
RFD025	100mm	White 1000	M14
*RFD030	100mm	Blue 2000	M14
*RFD035	100mm	Orange 10000	M14
RFD005S	100mm	Green 60	Snail-Lock
*RFD010S	100mm	Black 120	Snail-Lock
RFD015S	100mm	Red 200	Snail-Lock
RFD020S	100mm	Yellow 400	Snail-Lock
RFD025S	100mm	White 1000	Snail-Lock
RFD030S	100mm	Blue 2000	Snail-Lock
*RFD035S	100mm	Orange 10000	Snail-Lock

M14 DISC ADAPTORS

Disc adaptor stops the machine thread from pushing through to the polishing face of the disc when using M14 plastic backed discs.

PART NO.	DESCRIPTION	
*BMP045	M14 to Snail Lock	
*MMP687	M14 to M14	
*MMP195	Continental to M14	

S 14

100




Continental to Snail-Lock


M14 to Snail-Lock


info@amp-teknik.dk

M14 to M14











M14 to SNAIL-LOCK

A range of Ø125mm edge polishing wheels that achieve an excellent natural polished

finish. Designed for most popular edging machines and with either cushioned snail-lock or QRS fittings.

WET	GRANITE	MARBLE	ENGINEERED STONE
DIAMETI	ER 125m	m	

EMPEROR EDGING WHEELS

GRADE	PART NO.	FITTING	PART NO.	FITTING	
Green					
Conditioner	*RFD080	Snail-Lock	-	-	-
50	*BWPD355	Snail-Lock	*BWPD305	QRS	
100	*BWPD360	Snail-Lock	*BWPD310	QRS	
200	*BWPD365	Snail-Lock	*BWPD315	QRS	
400	*BWPD370	Snail-Lock	*BWPD320	QRS	
800	*BWPD375	Snail-Lock	*BWPD325	QRS	
1500	*BWPD380	Snail-Lock	*BWPD330	QRS	
3000	*BWPD385	Snail-Lock	*BWPD335	QRS	
Buff	*BWPD390	Snail-Lock	*BWPD340	QRS	D
Set (8)	*BWPD350	Snail-Lock	*BWPD300	QRS	

EMPEROR ARRISING WHEELS

A resin wheel manufactured for arrising stone slabs with snail-lock fitting.

PART NO.	SIZE	GRADE	E
*RFD080	130mm x 35mm x 55mm	Green Conditioner	
NOTE			
For Edgin	g Wheel Gasket see page 56.		

QRS TO SNAIL-LOCK BACKUP PADS

QRS to Snail-Lock backup pads for use on Emperor Edge Polishing System

PART NO.	DIAMETER	
*BMP148	125mm	
*BMP149	150mm	

M14 TO SNAIL-LOCK BACKUP PADS

M14 to Snail-Lock adaptors for use on Flex Electrica and Q-6R pneumatic polishing machines and fit 100mm, 130mm and 150mm snail-lock polishing discs.

PART NO.	DIAMETER		
*BMP045	100mm		
BMP047	130mm		
1			
	4	5	6

Polishing

PRESIDENT EDGING WHEELS

Premium edging wheels for polishing in Ø100mm, Ø130mm and Ø150mm with snail-lock backing. Rubber gaskets included.


RT NO.	DIAMETER	GRADE	FITTING
FD540	100mm	Green 60	Snail-Lock
FD545	100mm	Black 120	Snail-Lock
RFD550	100mm	Red 200	Snail-Lock
RFD555	100mm	Yellow 400	Snail-Lock
RFD560	100mm	White 1000	Snail-Lock
RFD565	100mm	Blue 2000	Snail-Lock
RFD570	100mm	Orange 10000	Snail-Lock
RFD500	130mm	Green 60	Snail-Lock
*RFD505	130mm	Black 120	Snail-Lock
'RFD510	130mm	Red 200	Snail-Lock
*RFD515	130mm	Yellow 400	Snail-Lock
RFD520	130mm	White 1000	Snail-Lock
RFD525	130mm	Blue 2000	Snail-Lock
RFD530	130mm	Orange 10000	Snail-Lock
RFD1000	150mm	Green 60	Snail-Lock
RFD1005	150mm	Black 120	Snail-Lock
RFD1010	150mm	Red 200	Snail-Lock
RFD1015	150mm	Yellow 400	Snail-Lock
		White 1000	Snail-Lock
RFD1020	150mm	white 1000	Chan Look
RFD1020 RFD1025	150mm 150mm	Blue 2000	Snail-Lock

DIA-DOT EDGING WHEELS

Edging wheels Ø130mm with snail-lock backing. Rubber gaskets included.

PART NO.	DIAMETER	GRADE	FITTING
*RFD080	130mm	Green Conditioner	Snail-Lock
*RFD200	130mm	Green 60	Snail-Lock
*RFD205	130mm	Black 120	Snail-Lock
*RFD210	130mm	Red 200	Snail-Lock
*RFD215	130mm	Yellow 400	Snail-Lock
*RFD220	130mm	White 1000	Snail-Lock
*RFD225	130mm	Blue 2000	Snail-Lock





DRESS SERVICE

DENDESS

REDRESS SERVICE

SERVICE

Polishing

RHINO RADIAL ARM POLISHING DISCS The Ø250mm surface grinding and polishing QRS backed discs achieve the required prepared finish right through to a high gloss using standard and glossier blocks. The first two metal bond discs are optional depending on the condition of the surface and when used, the first two stages can then be missed out.

WET M	ARBLE SLATE		
PART NO.	DIAMETER	GRADE	
*SMB150	250mm	Metal Bond 40/50	
*SMB155	250mm	Metal Bond 150/170	
*BEPN130A	250mm	1 Green 60	
*BEPN130C	250mm	2 Black 120	
*BEPN130D	250mm	3 Red 200	
*BEPN130E	250mm	4 Yellow 600	

DIA-RAP RADIAL ARM POLISHING DISCS Premium Ø250mm surface grinding/polishing system with colour coded QRS backing. Can be used on a Jenny Lind and other popular radial arm polishing machines.

			D
PART NO.	DIAMETER	GRADE	
*SMB050	250mm	Metal Bond Coarse	
*SMB055	250mm	Metal Bond Fine	
*RFD450	250mm	Green 60	
*RFD455	250mm	Black 120	
*RFD460	250mm	Red 200	
*RFD465	250mm	Yellow 400	E
*RFD470	250mm	White 1000	
*RFD475	250mm	Blue 2000	
BMP480	250mm	Orange 10000	

TWISTER RADIAL ARM POLISHING DISCS QRS colour coded backed Ø250mm discs achieve fast stock removal and a high

aloss finish

WET	GRANITE			F
PART NO.		DIAMETER	GRADE	1
*SMB150		250mm	Metal Bond Coarse	-
*SMB155		250mm	Metal Bond Fine	
*SMP600		250mm	Black 200	
*SMP605		250mm	Red 400	
*SMP610		250mm	Yellow 800	G
*SMP615		250mm	White 1500	
*SMP620		250mm	Blue 3000	
*SMP625		250mm	Orange Buff	1
		ORS CON	VERTER and FELT BUFFER	
			fit on Radial Arm Polishing Machines.	

PART NO.	DESCRIPTION	SIZE	FITTING	H
*BMP035A	Converter	Ø250mm	QRS	
*BESN130	Felt Buffer	Ø250mm	QRS	
				-



Polishing

CERAMICA RESIN DRUMS

Designed to give a high gloss finish on granite, engineered stone and marble. RED

WET/DRY	GRANITE	MARBLE	ENGINEE
---------	---------	--------	---------

GRADE	PART NO.	PART NO.
	Ø50mm x 42mm wide	Ø75mm x 42mm wide
50	*BDPC150	*BDPC705
100	*BDPC155	*BDPC710
200	*BDPC160	*BDPC715
400	*BDPC165	*BDPC720
800	*BDPC170	*BDPC725
1500	*BDPC175	*BDPC730
3000	*BDPC180	*BDPC735
BUFF	*BDPC185	*BDPC740



M14 thread attaches direct to your polisher.

CHEVRON RESIN DRUMS FOR CNC MACHINES

Available in sizes 50mm and 75mm diameters with widths 50mm or 38mm. Grades are identified by a clear grit colour code marking.

Various bore sizes are offered to fit the wide range of machines in the market. For example: 35mm and 22mm diameter for the Intermac and 20mm diameter for the Prussiani and Brembana.

WET	CNC	GRANITE	HARD STONE
-----	-----	---------	---------------

GRADE	PART NO.	PART NO.
	Ø50mm x 38mm wide	Ø50mm x 50mm wide
Green 60	RFD920	RFD880
Black 120	RFD925	RFD885
Red 200	RFD930	RFD890
Yellow 400	RFD935	RFD895
White 1000	RFD940	RFD900
Blue 2000	RFD945	RFD905
Orange 10000	RFD950	RFD910



GRADE	FITTING	PART NO.	PART NO.
		Ø75mm x 38mm wide	Ø75mm x 50mm wide
Green 60	M14	*RFD840M14	RFD800M14
Black 120	M14	*RFD845M14	RFD805M14
Red 200	M14	*RFD850M14	RFD810M14
Yellow 400	M14	*RFD855M14	RFD815M14
White 1000	M14	*RFD860M14	RFD820M14
Blue 2000	M14	*RFD865M14	RFD825M14
Orange 10000	M14	*RFD870M14	RFD830M14

RECOMMENDED SPEED:	2200 - 2700
FEED RATE:	1.5m/min
PASSES:	2 per grade
RADIAL ALLOWANCE for POLISHING Green to Blue	0.5 — 1mm
ADAPTIVE PRESSURE:	Advise 2 am pressure for such as the

rpm

of Chevron

nps adaptive machines Intermac.

NOTE For Chevron Dressing Bar see page 56.

CHEVRON RESIN DRUMS

ERVICE

SERVICE

With M14 fitting, for hand and machine polishing, can be preceded by grinding drums.

GRADE	PART NO.	PART NO.	
	Ø50mm x 50mm wide	ø75mm x 50mm wide	
Green 60	*RFD650	*RFD600	
Black 120	*RFD655	*RFD605	
Red 200	*RFD660	*RFD610	
Yellow 400	*RFD665	*RFD615	
White 1000	*RFD670	*RFD620	
Blue 2000	*RFD675	*RFD625	-
Adaptor for $(\frac{1}{2}^{n}$ BSP), Continental to M14 fitting.		*MMP193	

CHEVRON BELTS

Hard wearing resin bond impregnated with high quality diamonds to give fast aggressive cutting action. These belts achieve a high gloss finish and are specifically designed to fit expanding rubber drums. Simple identification clear grit colour code marking.

GRADE	PART NO.	PART NO.
4	Ø75mm x 38mm wide	ø75mm x 50mm wide
Green 60	*RFDB140	*RFDB100
Black 120	*RFDB145	*RFDB105
Red 200	*RFDB150	*RFDB110
Yellow 400	*RFDB155	*RFDB115
White 1000	*RFDB160	*RFDB120
Blue 2000	*RFDB165	*RFDB125
Orange 10000	*RFDB170	*RFDB130

EXPANDING RUBBER DRUM & ADAPTOR

To fit Ø75mm x 38mm wide Chevron Belts.

PART NO.	DESCRIPTION
*BES580	Expanding Rubber Drum 75mm x 38mm x 25mm
*MMP190	Continental to 75mm/100mm Adaptor

NOTE

For Grinding Drums see page 25. For Chevron Dressing Bar see page 56.

info@amp-teknik.dk

45

Polishing

Polishing

STARLITE POLISHING DRUMS

A range of diamond impregnated resin drums designed for polishing the inside of bowls.

GRADE	PART NO.	PART NO.
	Ø50mm x 42mm wide	ø75mm x 42mm wide
50	*BWPD205	*BWPD255
100	*BWPD210	*BWPD260
200	*BWPD215	*BWPD265
400	*BWPD220	*BWPD270
800	*BWPD225	*BWPD275
1500	*BWPD230	*BWPD280
3000	*BWPD235	*BWPD285
Buff	*BWPD240	*BWPD290



REDR

SEDVICE

REDRE

SERVICE

MINI CHEVRON DRUMS

The small Mini Chevron Ø25mm drums allows for grinding and polishing tight corners in kitchen tops to suit the latest style of sinks. An excellent natural polished finish is quickly achieved with very good tool life. The system comprises of 2 electroplated diamond cushioned drums and 5 resin diamond polishers.

GRANITE STONE

SIZE	GRADE	FITTING	
25mm x 50mm	1 Electroplated 60/85	M14	
25mm x 50mm	2 Electroplated 150/170	M14	
25mm x 38mm	3 Resin 200	M14	
25mm x 38mm	4 Resin 400	M14	
25mm x 38mm	5 Resin 1000	M14	
25mm x 38mm	6 Resin 2000	M14	
25mm x 38mm	7 Resin 10000	M14	
	25mm x 50mm 25mm x 50mm 25mm x 38mm 25mm x 38mm 25mm x 38mm 25mm x 38mm	25mm x 50mm 1 Electroplated 60/85 25mm x 50mm 2 Electroplated 150/170 25mm x 38mm 3 Resin 200 25mm x 38mm 4 Resin 400 25mm x 38mm 5 Resin 1000 25mm x 38mm 6 Resin 2000	25mm x 50mm 1 Electroplated 60/85 M14 25mm x 50mm 2 Electroplated 150/170 M14 25mm x 38mm 3 Resin 200 M14 25mm x 38mm 4 Resin 400 M14 25mm x 38mm 5 Resin 1000 M14 25mm x 38mm 6 Resin 2000 M14

11

DRUM ADAPTOR

Drum Adaptor for (1/2" BSP), Continental to M14 fitting.

PART	NO.
*MMP	193

WET

DESCRIPTION Continental to M14 Adaptor

10





REDRES

SERVICE



These Ø20mm polishing routers grind and polish straight edges with very tight corners of 10mm radius.

CNC	GRANITE					
						Ľ
PC	OSITION	S	SIZE	FITTING		
M	B1 Metal B	ond 2	0mm x 40mm	1⁄2" BSP		
M	32 Metal B	ond 2	0mm x 40mm	1⁄2" BSP		
M	33 Metal B	ond 2	0mm x 40mm	1⁄2" BSP		
M	34 Metal B	ond 2	0mm x 40mm	1⁄2" BSP		
5 R3	Resin Bor	nd 2	0mm x 40mm	1⁄2" BSP/M14		
) R4	Resin Bor	nd 2	0mm x 40mm	1⁄2" BSP/M14		C
5 R5	Resin Bor	nd 2	0mm x 40mm	1/2" BSP/M14		
) R6	Resin Bor	nd 2	0mm x 40mm	1⁄2" BSP/M14		
Ac	laptor		<u></u>	1⁄2" BSP		
Сс	omplete Se	t with 4	4 Adaptors			t
	PC MI MI 5 R3 0 R4 5 R5 0 R6 0 R6 Ac	POSITION MB1 Metal B MB2 Metal B MB3 Metal B MB4 Metal B 5 R3 Resin Bor 0 R4 Resin Bor 5 R5 Resin Bor 0 R6 Resin Bor Adaptor	POSITION S MB1 Metal Bond 2 MB2 Metal Bond 2 MB3 Metal Bond 2 MB4 Metal Bond 2 MB4 Metal Bond 2 5 R3 Resin Bond 2 0 R4 Resin Bond 2 5 R5 Resin Bond 2 0 R6 Resin Bond 2 Adaptor	POSITIONSIZEMB1 Metal Bond20mm x 40mmMB2 Metal Bond20mm x 40mmMB3 Metal Bond20mm x 40mmMB4 Metal Bond20mm x 40mm5R3 Resin Bond20mm x 40mm0R4 Resin Bond20mm x 40mm5R5 Resin Bond20mm x 40mm0R6 Resin Bond20mm x 40mm	POSITIONSIZEFITTINGMB1 Metal Bond20mm x 40mm½" BSPMB2 Metal Bond20mm x 40mm½" BSPMB3 Metal Bond20mm x 40mm½" BSPMB4 Metal Bond20mm x 40mm½" BSPSR Resin Bond20mm x 40mm½" BSP5R3 Resin Bond20mm x 40mm½" BSP/M140R4 Resin Bond20mm x 40mm½" BSP/M145R5 Resin Bond20mm x 40mm½" BSP/M145R6 Resin Bond20mm x 40mm½" BSP/M140R6 Resin Bond20mm x 40mm½" BSP/M14Adaptor½" BSP14	POSITION SIZE FITTING MB1 Metal Bond 20mm x 40mm ½" BSP MB2 Metal Bond 20mm x 40mm ½" BSP MB3 Metal Bond 20mm x 40mm ½" BSP MB3 Metal Bond 20mm x 40mm ½" BSP MB4 Metal Bond 20mm x 40mm ½" BSP S R3 Resin Bond 20mm x 40mm ½" BSP/M14 O R4 Resin Bond 20mm x 40mm ½" BSP/M14 S R5 Resin Bond 20mm x 40mm ½" BSP/M14 O R6 Resin Bond 20mm x 40mm ½" BSP/M14 O R6 Resin Bond 20mm x 40mm ½" BSP/M14 O R6 Resin Bond 20mm x 40mm ½" BSP/M14 O R6 Resin Bond 20mm x 40mm ½" BSP/M14 Adaptor ½" BSP 1/2" BSP/M14 1/2" BSP/M14

ULTRA MINI 45° BEVELLING ROUTERS

The 45° Bevel Ø20mm polishing routers allow the grinding and polishing of bowl cutouts with very tight corners of 10mm radius creating a 45° bevelled top edge.

WET	CNC	GRANITE		IEERED ONE		
						-
PART NO.	PO	SITION		SIZE	FITTING	
*SMB265	MB	1 Metal B	ond	20mm x 40mm	1⁄2" BSP	
*SMB270	MB	2 Metal B	ond	20mm x 40mm	1⁄2" BSP	-
*SMB275	MB	3 Metal B	ond	20mm x 40mm	1⁄2" BSP	1
*SMB280	MB	4 Metal B	ond	20mm x 40mm	1⁄2" BSP	
*BMPPD075	R5	Resin Bo	nd	20mm x 40mm	1⁄2" BSP/M14	
*BMPPD080	R6	Resin Bo	nd	20mm x 40mm	1/2" BSP/M14	
*BMPPD085	R7	Resin Bor	nd	20mm x 40mm	1/2" BSP/M14	
*BMPPD090	R8	Resin Bo	nd	20mm x 40mm	1/2" BSP/M14	
*BMPA005	Ada	aptor			1⁄2" BSP	



	SIVIDZIU	IVI
	*SMB275	М
NOTE	*SMB280	М
When using resin grades touch on centrifugal force	*BMPPD075	R
gives the cut.	*BMPPD080	R
The first four positions of metal bond includes 1/2" BSP	*BMPPD085	R
fitting.	*BMPPD090	R
Positions 5, 6, 7 and 8 resins require an adaptor.	*BMPA005	A
		1

ULTRA MINI 5mm RADIUSING ROUTERS

These 5mm Radiused Ø20mm routers allow the grinding and polishing of bowl cutouts with very tight corners of 10mm radius creating a 5mm radiused top edge.


WET	CNC	GRANITE	ENGINEER STONE	ED			
PART NO.	PC	SITION	SI	ZE	FITTING		
*SMB265		B1 Metal B		mm x 40mm	1/2" BSP		
*SMB270	ME	32 Metal B	ond 20	mm x 40mm	1⁄2" BSP		
*SMB275	ME	33 Metal B	ond 20	mm x 40mm	1⁄2" BSP		
*SMB280	ME	34 Metal B	ond 20	mm x 40mm	1⁄2" BSP		
*BMPPD075	R5	Resin Bo	nd 20	mm x 40mm	1/2" BSP/M14		
*BMPPD080	R6	Resin Bo	nd 20	mm x 40mm	1/2" BSP/M14		
*BMPPD085	R7	' Resin Bo	nd 20	mm x 40mm	1/2" BSP/M14		
*BMPPD090	R8	Resin Bo	nd 20	mm x 40mm	1/2" BSP/M14		
*BMPA005	Ad	laptor			½" BSP		
3		4			5	6	_

Polishing

FLUTEMASTER FLUTE GRINDING & POLISHING SYSTEM

Easy to setup, lighter and quicker with smoother operation than previous systems. It incorporates a simple system for height adjustment and will work inside recessed draining boards as well as on flat surfaces. Flutes are ground and polished in minutes rather than hours. Using a standard 110v variable speed Flex machine with the unique diamond electroplated and resin wheels manufactured in-house, the system will do both grinding and polishing operations without moving the workpiece. The system is available in 10mm, 12.7mm, 16mm and 20mm widths, colour coded for easy grade identification. Optional guide wheel available for fluting into contoured shapes

WET	GRANITE	MARBLE ENGINEERED STONE	
PART NO		DESCRIPTION	
BMPGRA	AD12	†Complete 12.7mm Fluting System	
*MENGRA	١D	Replacement Flutemaster Machine	
*BEML150)3VR	Replacement L1503VR Flex Machine	
*MMP150		Replacement Optional Guide Wheel	
*BMP112		Replacement Marble Compound	
*BMP115		Replacement Granite Compound	





†COMPLETE FLUTING SYSTEM comprises of 1 Flutemaster machine, 1 Flex machine, 1 Electroplated Wheel, 1 Black - Blue flute wheels, 2 felt wheels, 1 marble compound and 1 granite compound.

FLUTE POLISHING SYSTEM

GRANITE

WFT

Polishing flutes by hand is a very tedious and time consuming operation. The flute polishing system will rapidly achieve very highly polished flutes, in minutes rather than hours. The system is based around special coloured coded diamond resin wheels that operate at optimum performance with long life. These wheels are used with a fast and reliable air powered machine, felt wheels and final polishing powders. Widths available 10mm, 12.7mm, 16mm and 20mm. Profile wheels (electroplated) with correct width and radius to grind the flute can be supplied to order.

PART NO.	DESCRIPTION	
*BMPFP12	† Complete 12.7mm Polishing System	-
*BPMF100	Replacement Air Machine	
*BMP205	Replacement Case	
*BMP201	Replacement Spanner 1	
*BMP202	Replacement Spanner 2	
*BMP112	Replacement Marble Compound	
*BMP115	Replacement Granite Compound	


† COMPLETE POLISHING SYSTEM comprises of 1 Air Machine, 1 Black - Blue flute wheels, 2 felt wheels, 1 case, 1 marble compound, 1 granite compound and 2 spanners.



RESIN FLUTE POLISHING WHEELS


These Flute Wheels have been designed and manufactured for the rapid achievement of very highly polished flutes in recessed draining boards. The resin fluting wheels are colour coded and will give optimum performance with long life. The electroplated profile wheel with correct width and radius will grind the exact flute required.

	NGINEERED STONE	NITE MARBLE	NET GRAI
	GRADE	DIAMETER	RT NO.
		10mm	IWO431E
	Electroplated 60/85S		
(Green 60 Black 120	10mm	IP167 IP170
	Red 200	10mm 10mm	IP170 IP175
	Yellow 400	10mm	IP175
	White 1000	10mm	IP185
	Blue 2000	10mm	IP190
	Felt Buff	10mm	IP208
	Electroplated 60/85S	12.7mm	WO432E
[Green 60	12.7mm	IP202
	Black 120	12.7mm	IP205
	Red 200	12.7mm	IP210
	Yellow 400	12.7mm	IP215
	White 1000	12.7mm	IP220
	Blue 2000	12.7mm	IP225
	Felt Buff	12.7mm	IP210
1	Electroplated 60/85S	16mm	WO433E
	Green 60	16mm	IP227
	Black 120	16mm	IP230
_	Red 200	16mm	IP235
	Yellow 400	16mm	IP240
	White 1000	16mm	IP245
	Blue 2000	16mm	IP250
1	Felt Buff	16mm	IP215
	Electroplated 60/85S	20mm	WO434E
	Green 60	20mm	IP258
	Black 120	20mm	IP260
	Red 200	20mm	IP265
	Yellow 400	20mm	IP270
	White 1000	20mm	IP275
	Blue 2000	20mm	IP280
(Felt Buff	20mm	IP220
		G BLOCK	
	5.	s for resin whee	ssing blocks
	TION	DESCOU	
	ssing Block	10mm D	RT NO.
			IP395
/	ressing Block		IP400
	ssing Block	16mm Di	IP405
	ssing Block	20mm Di	IP410



Polishing

REDRESS SERVICE



FLUTE GRINDING & POLISHING WHEELS

A two stage flute grinding system for most types of CNC and semi automatic machines.

ART NO.	SIZE	GRADE
BMWF010	140mm x 12.7mm x 30mm	Metal Bond for Intermac
BMPF014	140mm x 12.7mm x 30mm	Resin 400 Grit for Intermac
BMWF005	140mm x 10mm x 30mm	Metal Bond for Intermac
3MPF009	140mm x 10mm x 30mm	Resin 400 Grit for Intermac
BMWF030	140mm x 10mm x 30mm	Metal Bond Full Radius
BMPF034	140mm x 10mm x 30mm	Resin 400 Grit Full Radius

Wheel Specification RPM Feed Ø140mm Metal Bond 3900 800 mm/min Ø140mm Resin 600 mm/min 3000 Ø200mm Metal Bond 2770 800 mm/min Ø200mm Resin 2100 600 mm/min

Polishing

Other sizes and grades available on request.

FLUTE WHEELS FOR SEELBACH MACHINE

After the flute grooves have been ground follow with these flute polishing wheels to produce an excellent polished finish.

111	WET	CNC GRANITE	MARBLE	STONE	
	PART NO.	SIZE		GRADE	-
	SMP310	200mm x 12.7n	nm x 22.2mm	Red 200	
	SMP320	200mm x 12.7n	nm x 22.2mm	White 1000	
	*SMP325	200mm x 12.7n	nm x 22.2mm	Blue 2000	
-	BMP325	200mm x 12.7n	nm x 22.2mm	Felt	






REPAIRLUX REPAIR KITS

The system makes use of new technologies and offers many advantages, including fillers integrated with adhesion promoters doing away with primers, coloured fillers are already premixed with transparent liquid fillers so these can be directly cured and special mica fillers blended with coloured fillers produce a gloss effect ideal for reflective surfaces. Although natural stone is exceptionally hard it can still be scratched or the edges can be damaged and now technicians have developed this kit which can be used on both granite and marble so there is no longer a need for two systems. Finally, apart from the advantageous , the flexibility of the kit is also ideal for the market as it is available in a basic or a complete kit form with replacement components individually available.







GRANITE MARBLE ENGINEER

ENGINEERED

Complete Kit Comprises:

1 x Transparent Liquid, 1 x Transparent Base, Fillers x 1 each Black, White, Marble, Green, Yellow, Blue, Red & Beige, 6 x Granulates (various), Mica x 1 each Silver & Gold, 15 x Cannula, 1 x Metal Applicator, 1 x Cuttlebone, 1 x Plastic Film (10 pcs), 1 x Metal Planer, 1 x Black Touch-up Pen, 1 x Polishing Block, 1 x Cotton Cloth, 1 x Polishing Paste, 1 x Mixing Cup, 1 x Cleaning Solution, 3 x Micro Sanding Paper, 1 x Brass Brush, 1 x Power Light, 1 x Diamond Drill Bit Set (20 pcs), 1 x Training DVD.

Basic Kit Comprises:

1 x Transparent Liquid, 1 x Transparent Base, 1 x Filler Black, 15 x Cannula, 1 x Metal Applicator, 1 x Cuttlebone, 1x Plastic Film (10 pcs), 1 x Metal Planer, 1 x Black Touch-up Pen, 1 x Polishing Block, 1 x Cotton Cloth, 1 x Polishing Paste, 1 x Mixing Cup, 1 x Cleaning Solution, 3 x Mirco Sanding Paper, 1 x Brass Brush, 1 x Power Light, 1 x Training DVD.

Upgrade Kit Comprises: (limited to one kit per customer) To upgrade existing Kit — 10 Repairlux Fillers with Cannulas and new Repairlux Case.

REPAIRLUX TRAINING SEMINAR

Full day training course 9 am — 3.30 pm

(Maximum 8 people per session)

REPAIR KITS

PART NO.	DESCRIPTION	
*BMPKR3000	Professional Kit (Complete)	
*BMPKR3100	Professional Kit (Basic)	F
*BMPKR3200	Mini Repair Kit	
*BMPKR01	Upgrade Kit	
*BMPKR40370	Stone Repair Kit	

REPLACEMENT COMPONENTS

PART NO.	DESCRIPTION	
*BMPKR3004	Transparent Liquid 3ml	
*BMPKR3005	Transparent Base 3ml	
*BMPKR3013	Filler Black 3ml	
*BMPKR3006	Filler White 3ml	
*BMPKR3007	Filler Marble 3ml	

GRANITE MARBLE ENGINEERED

PART NO.	DESCRIPTION	
*BMPKR3008	Filler Green 3ml	
*BMPKR3009	Filler Yellow 3ml	
*BMPKR3010	Filler Blue 3ml	
*BMPKR3011	Filler Red 3ml	
*BMPKR3012	Filler Beige 3ml	

MODULE 3

PART NO.	DESCRIPTION
*BMPKR3020	Granulate Transparent Fine 5g
*BMPKR3021	Granulate Black Fine 5g
*BMPKR3022	Granulate White Fine 5g
*BMPKR3023	Granulate Transparent Coarse 5g
*BMPKR3024	Granulate Black Coarse 5g
*BMPKR3025	Granulate White Coarse 5g

MODULE 4

PART NO.	DESCRIPTION	
*BMPKR3014	Mica Silver Particles 3ml	
*BMPKR3015	Mica Gold Particles 3ml	

SURFACE FINISH & TOOLS

PART NO.	DESCRIPTION
*BMPKR3030	Cannula -10 pcs
*BMPKR3031	Metal Applicator
*BMPKR3032	Cuttlebone
*BMPKR162	Plastic Film - 10 pcs
*BMPKR6300	Metal Planer
*BMPKR3036	Touch-up Pen Black
*BMPKR3037	Polishing Block
*BMPKR2210	Cotton Cloth - 10 pcs
*BMPKR3039	Polishing Paste 150ml
*BMPKR3040	Mixing Cup
*BMPKR3041	Cleaning Solution 150ml
	Micro Sanding Paper - pack of 3
*BMPKR403	1 x 2400, 12cm x 15 cm
DIVIENR403	1 x 3200, 12cm x 15 cm
	1 x 4000, 12cm x 15 cm
*BMPKR407	Brass Brush
*BMPKR3049	Diamond Drill Bit Set (20 pcs)
*BEMSSR100	Silverline 730v Electric Die Grinding Kit
*BMPKR3050	Power Light

11

10



Accessories







STONE CARE PRODUCTS

Glues, Waxes and Natural Stone Treatments to produce a range of the highest quality performing stone care product at competitive prices. All of these products are of proven quality to give the best performance and long life in each product group.

GRANITE





SUPER STONE GLUE

Polyester resin adhesive for gluing Granite, Marble, Terrazzo, Engineered Stone and Natural Stone. Can also be used as putty for filling cavities or cracks. Tub of Polyester Resin Hardener included. Available in colours: Transparent, Straw, White and Black.

TEDDA 770

TYPE	PART NO.	SIZE	C
*BMPFR050	Fluid Transparent	1 Lt	
*BMPFR067	Vertical Transparent	1 Lt	
*BMPFR055	Vertical Straw	1 Lt	
*BMPFR060	Vertical White	1 Lt	
*BMPFR065	Vertical Black	1 Lt	

POLYESTER RESIN HARDENER

Additional tubes of Polyester Resin Hardener.

PART NO.	SIZE	
*BMPFR070	40 Grams Tube	
SYRINGE		
PART NO.	DESCRIPTION	E
*BMPSY01	10ml Syringe for Liquid Glues	

SUPER CLEANER (PH Neutral)

GRANITE

Universal concentrated PH Neutral detergent for cleaning and maintenance of all hard and resilient surfaces such as Granite, Marble, Slate, Natural Stone, treated Terracotta, Porcelain, Stoneware and Ceramics. Can be diluted as necessary.

TERRAZZO

PART NO.	SIZE	
*BMPFR005	1 Kg	
	LINS sed (For inside and outside) pellent for Granite, Marble, Natural Stones, Terrazzo and Terracotta.	G
Water-repellent v	d (For inside and outside) with anti-stain properties. Forms a surface barrier against watery and ecially suited to Natural Stone, Marble, Granite, Slate, Terrazzo, Tiles	1
and Terracetta	icially sulled to Matural Stone, Marble, Granite, Slate, Terrazzo, Tiles	

and Terracotta.		
ТҮРЕ	PART NO.	SIZE
*BMPFR030	Stop Stains A	11+

1 Lt

Stop Stains S

info@amp-teknik.dk

*BMPFR025



				cces	soriae
				100036	901169
		ENGINEERED TERRITZO CERMINOS			
GRANITE MARBL	E STONE SLATE	STONE TERRAZZO CERAMICS			
SUPER CC	LOUR ENHAN	CER			
		fect, fills micro cracks and small fissures.			
Recommended in	or Zimbabwe Black.				
PART NO.	SIZE				
BMPFR010	1 Kg		SUPER		6
			COLOUN		
GRANITE MARBL	E STONE		enhancer	COLOUR	
COLOUR F	INHANCER		COPERS ROUGHNESS ON PAUSE	ENHANCER	
Water Repellent	for outside use on unpo	lished Granite and Stone. Matt finish.		oil repellent	COLOUR
Oil Repellent for	inside use on unpolishe	ed Granite and Stone. Semi-Gloss finish.	GENERALS	(INSIDE)	RNUANCE
ГҮРЕ	PART NO.	SIZE		WATER ON REPELLENT WITH ADENNA EFFECT	SURARVE!
BMPFR015	Oil Repellent	1 Lt		Calacteria	water repelled
BMPFR020	Water Repellent	- 1 Lt		\smile	(OUTSID#I
COLOUR	CORRECTORS				GEREEREE
ГҮРЕ	PART NO.	SIZE			$\overline{}$
BMPFR085	Zimba Black	1 Lt			
BMPFR080	Imprim RTF	1 Lt			
GRANITE MARBL	e stone				
LIQUID WA	X	Granite, polished or smoothed Marble		2	
LIQUID WA	X	Granite, polished or smoothed Marble			
LIQUID WA Special polishing Agglomerates.	X	Granite, polished or smoothed Marble			
LIQUID WA Special polishing Agglomerates. PART NO.	Iiquid wax for Marble,	Granite, polished or smoothed Marble			
LIQUID WA Special polishing Agglomerates. PART NO. BMPFR035	Iiquid wax for Marble, SIZE 1 Kg	Granite, polished or smoothed Marble	LIQUI		
LIQUID WA Special polishing Agglomerates. PART NO. BMPFR035 WAX PAST Special paste wa	Iiquid wax for Marble, SIZE 1 Kg E x based on Brazilian C	Granite, polished or smoothed Marble		WAX	
LIQUID WA Special polishing Agglomerates. PART NO. BMPFR035 WAX PAST Special paste wa	Iiquid wax for Marble, SIZE 1 Kg E x based on Brazilian C		- WAX	WAX PASTE	
LIQUID WA Special polishing Agglomerates. PART NO. BMPFR035 WAX PAST Special paste wa Granite and Natu	Iiquid wax for Marble, SIZE 1 Kg E x based on Brazilian C			WAX	
LIQUID WA Special polishing Agglomerates. PART NO. BMPFR035 WAX PAST Special paste wa Granite and Natu COLOUR BMPFR040	Iiquid wax for Marble, SIZE 1 Kg E x based on Brazilian C ral Stone. PART NO. Natural	arnauba and natural beeswax for Marble, SIZE 1 Kg	Artisal Polisymo (Jour) Martisal Polisymo (Jour) Martine Manuel Addin Martine Manuel Addin	WAX PASTE	
LIQUID WA Special polishing Agglomerates. PART NO. BMPFR035 WAX PAST Special paste wa Granite and Natu COLOUR BMPFR040	Iiquid wax for Marble, SIZE 1 Kg E x based on Brazilian C ral Stone. PART NO.	arnauba and natural beeswax for Marble,	Artisal Polisymo (Jour) Martisal Polisymo (Jour) Martine Manuel Addin Martine Manuel Addin	WAX PASTE	
LIQUID WA Special polishing Agglomerates. PART NO. BMPFR035 WAX PAST Special paste wa Granite and Natu COLOUR BMPFR040 BMPFR045	Iiquid wax for Marble, SIZE 1 Kg E x based on Brazilian C ral Stone. PART NO. Natural	arnauba and natural beeswax for Marble, SIZE 1 Kg 1 Kg	Artisal Polisymo (Jour) Martisal Polisymo (Jour) Martine Manuel Addin Martine Manuel Addin	WAX PASTE	
LIQUID WA Special polishing Agglomerates. PART NO. 'BMPFR035 WAX PAST Special paste wa Granite and Natu COLOUR 'BMPFR040 'BMPFR045 LAMBSWC	Iiquid wax for Marble, SIZE 1 Kg E x based on Brazilian C ral Stone. PART NO. Natural Black OOL BUFFING	arnauba and natural beeswax for Marble, SIZE 1 Kg 1 Kg	Artisal Polisymo (Jour) Martisal Polisymo (Jour) Martine Manuel Addin Martine Manuel Addin	WAX PASTE	
LIQUID WA Special polishing Agglomerates. PART NO. BMPFR035 WAX PAST Special paste wa Granite and Natu COLOUR BMPFR040 BMPFR045 LAMBSWC PART NO.	Iiquid wax for Marble, SIZE 1 Kg TE x based on Brazilian C ral Stone. PART NO. Natural Black DOL BUFFING DESCRIPTION	arnauba and natural beeswax for Marble, SIZE 1 Kg 1 Kg	Artisal Polisymo (Jour) Martisal Polisymo (Jour) Martine Manuel Addin Martine Manuel Addin	WAX PASTE	
LIQUID WA Special polishing Agglomerates. PART NO. 'BMPFR035 WAX PAST Special paste wa Granite and Natu COLOUR 'BMPFR040 'BMPFR045 LAMBSWC	Iiquid wax for Marble, SIZE 1 Kg E x based on Brazilian C ral Stone. PART NO. Natural Black OOL BUFFING	arnauba and natural beeswax for Marble, SIZE 1 Kg 1 Kg	Artisal Polisymo (Jour) Martisal Polisymo (Jour) Martine Manuel Addin Martine Manuel Addin	WAX PASTE	
LIQUID WA Special polishing Agglomerates. PART NO. BMPFR035 WAX PAST Special paste wa Granite and Natu COLOUR BMPFR040 BMPFR045 LAMBSWC PART NO.	Iiquid wax for Marble, SIZE 1 Kg TE x based on Brazilian C ral Stone. PART NO. Natural Black DOL BUFFING DESCRIPTION	arnauba and natural beeswax for Marble, SIZE 1 Kg 1 Kg	Artisal Polisymo (Jour) Martisal Polisymo (Jour) Martine Manuel Addin Martine Manuel Addin	WAX PASTE	

info@amp-teknik.dk



FELT MOP DONUT

Ideal for a perfect finish, these felt mops are for use after polishing pads when applying buff liquid polishing compound and powders.

GRANITE	MARBLE	ENGINEERED STONE	STONE		в
PART NO.		SIZE		FITTING	
*BMP292		125mm x	50mm thick	K M14	
*BMP296		180mm x	50mm thick	K M14	

FELT PADS

Final polishing stage felt 100mm buffing pads, with M14, Snail-Lock and QRS fittings, can be used with polishing liquid compound on granite when high gloss finish is required. Felt Buffing Pads can also be used on marble, engineered stone and all stone when improved finish is important.

GRANITE	MARBLE	ENGINEERED STONE	STONE		D
PART NO.		SIZE		FITTING	
*MMP112		100mm		M14	
*MMP112S		100mm		Snail-Lock	Π
*BES100		100mm		QRS	

LIQUID POLISHING COMPOUND

Designed to be used with buffing pads to help produce a high gloss finish on both light and dark granites.

GRANITE		F
PART NO.	DESCRIPTION	
*BMP080	For light granite	
*BMP085	For dark granite	


POLISHING POWDER COMPOUND

Final polishing powders for marble and granite.

PART NO.	DESCRIPTION	
*BMP112	Marble Compound	
*BMP115	Granite Compound	

A very handy, kit Supplied in a cor	for drilling holes in tiles using a standard, variable speed drill. npact case containing everything that you need to drill screw ho	les in	
les.			
WET MARBI	E CERAMICS		
ART NO.	DESCRIPTION		
MPH120	Kit with case		
BEHM004	4mm Ceramic Drill Bit		
BEHM005	5mm Ceramic Drill Bit		
BEHM006	6mm Ceramic Drill Bit		
BEHM008	8mm Ceramic Drill Bit		
BEHM010	10mm Ceramic Drill Bit		
BEHM012	12mm Ceramic Drill Bit		
MPH100	1 Metre Replacement Hose		
MPH110	High Pressure Spray Gun Mini Guide		
MPH115	Dressing Block		
CHEVRON Diamond dressin	Dressing Block Replacement Case 6, 8 and 10mm Tile Drill Kit, Mini Guide and Case. DRESSING BAR - g bar specifically designed for dressing Chevron type diamond		
BMPH115 BMPH125 KIT INCLUDES: CHEVRON Diamond dressin esin drums and	Dressing Block Replacement Case 6, 8 and 10mm Tile Drill Kit, Mini Guide and Case. DRESSING BAR - g bar specifically designed for dressing Chevron type diamond		
BMPH115 BMPH125 KIT INCLUDES: Diamond dressin esin drums and PART NO.	Dressing Block Replacement Case 6, 8 and 10mm Tile Drill Kit, Mini Guide and Case. DRESSING BAR - g bar specifically designed for dressing Chevron type diamond belts.		
BMPH115 BMPH125 KIT INCLUDES: Diamond dressin esin drums and PART NO. EMP31108	Dressing Block Replacement Case 6, 8 and 10mm Tile Drill Kit, Mini Guide and Case. DRESSING BAR - g bar specifically designed for dressing Chevron type diamond belts. DESCRIPTION		
BMPH115 BMPH125 KIT INCLUDES: Diamond dressin esin drums and CART NO. EMP31108 NOTE	Dressing Block Replacement Case 6, 8 and 10mm Tile Drill Kit, Mini Guide and Case. DRESSING BAR - g bar specifically designed for dressing Chevron type diamond belts. DESCRIPTION Chevron Drum Dressing Bar		
BMPH115 BMPH125 KIT INCLUDES: Diamond dressin esin drums and PART NO. EMP31108 NOTE	Dressing Block Replacement Case 6, 8 and 10mm Tile Drill Kit, Mini Guide and Case. DRESSING BAR - g bar specifically designed for dressing Chevron type diamond belts. DESCRIPTION		
BMPH115 BMPH125 KIT INCLUDES: Diamond dressin esin drums and CART NO. EMP31108 NOTE	Dressing Block Replacement Case 6, 8 and 10mm Tile Drill Kit, Mini Guide and Case. DRESSING BAR - g bar specifically designed for dressing Chevron type diamond belts. DESCRIPTION Chevron Drum Dressing Bar		
BMPH115 BMPH125 KIT INCLUDES: Diamond dressin esin drums and CART NO. EMP31108 NOTE	Dressing Block Replacement Case 6, 8 and 10mm Tile Drill Kit, Mini Guide and Case. DRESSING BAR - g bar specifically designed for dressing Chevron type diamond belts. DESCRIPTION Chevron Drum Dressing Bar		
MPH115 MPH125 KIT INCLUDES: Diamond dressin esin drums and MART NO. EMP31108	Dressing Block Replacement Case 6, 8 and 10mm Tile Drill Kit, Mini Guide and Case. DRESSING BAR - g bar specifically designed for dressing Chevron type diamond belts. DESCRIPTION Chevron Drum Dressing Bar		
BMPH115 BMPH125 KIT INCLUDES: Diamond dressin esin drums and CART NO. EMP31108 NOTE	Dressing Block Replacement Case 6, 8 and 10mm Tile Drill Kit, Mini Guide and Case. DRESSING BAR - g bar specifically designed for dressing Chevron type diamond belts. DESCRIPTION Chevron Drum Dressing Bar		
BMPH115 BMPH125 KIT INCLUDES: Diamond dressin esin drums and PART NO. EMP31108 NOTE Resin drums and	Dressing Block Replacement Case 6, 8 and 10mm Tile Drill Kit, Mini Guide and Case. DRESSING BAR - g bar specifically designed for dressing Chevron type diamond belts. DESCRIPTION Chevron Drum Dressing Bar		
BMPH115 BMPH125 KIT INCLUDES: Diamond dressin esin drums and CART NO. EMP31108 NOTE Resin drums and CART NO. EMP31108	Dressing Block Replacement Case 6, 8 and 10mm Tile Drill Kit, Mini Guide and Case. DRESSING BAR - g bar specifically designed for dressing Chevron type diamond belts. DESCRIPTION Chevron Drum Dressing Bar belts see page 44-46.		
BMPH115 BMPH125 KIT INCLUDES: Diamond dressin esin drums and PART NO. EMP31108 NOTE Resin drums and CART NO. EMP31108 NOTE Resin drums and Replacement gas	Dressing Block Replacement Case 6, 8 and 10mm Tile Drill Kit, Mini Guide and Case. DRESSING BAR - g bar specifically designed for dressing Chevron type diamond belts. DESCRIPTION Chevron Drum Dressing Bar belts see page 44-46.		
BMPH115 BMPH125 KIT INCLUDES: Diamond dressin esin drums and PART NO. EMP31108 NOTE Resin drums and EDGING W Replacement gas PART NO.	Dressing Block Replacement Case 6, 8 and 10mm Tile Drill Kit, Mini Guide and Case. DRESSING BAR - g bar specifically designed for dressing Chevron type diamond belts. DESCRIPTION Chevron Drum Dressing Bar belts see page 44-46. VHEEL GASKETS skets for Ø130mm edge polishing wheels.		
BMPH115 BMPH125 KIT INCLUDES: Diamond dressin esin drums and PART NO. EMP31108 NOTE Resin drums and EDGING W Replacement gas PART NO.	Dressing Block Replacement Case 6, 8 and 10mm Tile Drill Kit, Mini Guide and Case. DRESSING BAR - g bar specifically designed for dressing Chevron type diamond belts. DESCRIPTION Chevron Drum Dressing Bar belts see page 44-46.		
BMPH115 BMPH125 KIT INCLUDES: Diamond dressin esin drums and PART NO. EMP31108 NOTE Resin drums and EDGING W	Dressing Block Replacement Case 6, 8 and 10mm Tile Drill Kit, Mini Guide and Case. DRESSING BAR - g bar specifically designed for dressing Chevron type diamond belts. DESCRIPTION Chevron Drum Dressing Bar belts see page 44-46. VHEEL GASKETS skets for Ø130mm edge polishing wheels.		

info@amp-teknik.dk



TRANSLUCENT TEMPLATING MATERIAL

Versatile, lightweight, yet durable twin wall polypropylene sheet material successfully used by Kitchen and Worktop installers, offering a cost effective solution to traditional methods. Tolerance on straightness 4mm per metre.

		E
PART NO.	.7m x 3.1m x 2mm	
*BMPTM04	100 Sheet Pack	
PART NO.	.7m x 3.1m x 3mm	
*BMPTM02	100 Sheet Pack	
BMPTM05	600 Sheet Pallet	C
PART NO.	1.2m x 2.4m x 3mm	
*BMPTM07	100 Sheet Pack	
BMPTM10	375 Sheet Pallet	

DF TAPE

Clear PVC tape for template jointing.

PART NO.	ROLL SIZE	
*BMPTMT01	50mm wide x 33m	

GRP REINFORCING BAR

For strengthening large sized stone worktops. Perfect replacement for reinforcing steel bars - do not rust, are light, easy to handle, cost effective and extremely strong with grooves for glue.

PART NO.	PACK	BAR DIMENSIONS	
*SMPF015	25 x 3m	3m x 15mm x 2.5mm	
*SMPF010	25 x 3m	3m x 10mm x 2.5mm	
100 METRE RO	LL		(
PART NO.	PACK	BAR DIMENSIONS	
*SMPF020	100m	10mm x 3mm	
*BMP999	Stand for roll		
NOTE			
For glue see pag	ge 53.		

ELECTRIC MACHINES

FLEX 110v WET & DRY POLISHERS

Wet polisher with centre water feed. Dry polisher - variable speed.

PART NO.	MODEL	SPEED
*BEMLW1503	WET	3,600 rpm
*MMP687	M14 - M14 AS70 A	daptor
*MMP	Spanner 22mm op Adaptor *MMP687	en end for
*MMP881	Splashguard	
*MMP	Hose 3m including male couplins	
*BEML1503VR	1200 Watt - DRY	Variable 0-3,700
*BNME060	Flange with lock-nut and spanner *BNMESP1 for use with Flutemaster	
*BMPH150	240v Twin Outlet Transforma -	
3 x 110v outlets		
*MMP070	Flat type back-up pad with M14 fitting.	

OTHER RELATED PRODUCTS

100mm Flexible Discs - Pages 27-28. Puma & Dia-Gem Discs - Page 39. Dia-Sol Discs - Page 40. Drums - Pages 25, 33, 44.

FEIN MULTI-TALENT OSCILLATING

The Fein Multi-Talent basic oscillating 110 volt machine is used for dry polishing or grout removal.

PART NO.	MODEL	SPEED
*BEMFMM	DRY	Variable 11,000-20,000

FEIN BACKUP PADS - BOX OF 2

PART NO.	DESCRIPTION	
*BEMF001	For sanding without dust extraction	

ELECTROFLEX QRS PADS

GRADE	PART NO.		
M60	*BEPN890A		
M120	*BEPN890C		A A
M200	*BEPN890D		100
M400	*BEPN890E		200
M800	*BEPN890F		1999
M1800	*BEPN890J		10000
R800	*BEPN890G		
R1800	*BEPN890H		
R12000	*BEPN8901		



Hand machines

Hand machines



ELECTRIC MACHINES

SUPER PROFILER

Quick and easy to use the 'Super Profiler Machines' have been designed to mill, shape and polish the edges of granite, marble, natural and engineered stone slabs.


The 'Super Profiler' variable speed machine is perfectly suited to mill, shape and polish.

Machines are available with hydroplaning or roller bearing bases and come with a six month warranty and quick release fitting for water supply as standard.

PART NO.

BEMPROVH 230 volt Super Profile VH with Hydroplaning Base

DESCRIPTION



DEWALT ROUTER

Small, light and easy to use edge shaping and routing machine.

PART NO.	DESCRIPTION	
*BEMR177BE	110 volt	
BMP040	Radius Attachment	

Hand machines

PNEUMATIC MACHINES

QUICK Q-6R PNEUMATIC WET POLISHER

Variable speed polisher with central water feed, rear exhaust and M14 fitting.

PART NO.

DESCRIPTION

*BPMQ6R

Q-6R Rear Exhaust Polisher

OTHER RELATED PRODUCTS

100mm Flexible Discs - Pages 27-28. Puma & Dia-Gem Discs - Page 39. Dia-Sol Discs - Page 40. Drums - Page 25, 33, 44.

AS100 ANGLE SAW

The AS100 is a very powerful robust machine developing 1.5HP. Fast cutting, with very effective dust extraction for cutting up to 25mm deep. Can also be used wet. Supplied with combined saw guard and dust extraction cowl and safety lever throttle.

PART NO.	DESCRIPTION	
*BPMAS100	AS100 Angle Saw Machine	
SAW ACCESSO	RIES	
PART NO.	DESCRIPTION	


AS125 ANGLE SAW


The AS125 has the same power and specifications as the AS100. It has been designed to accept larger diameter saws for applications requiring a greater depth of cut and will cut up to 35mm deep. Can also be used wet. Supplied as standard with safety lever throttle.

PART NO.	DESCRIPTION	
*BPMAS125	AS125 Angle Saw Machine	
SAW ACCESSO	RIES	
PART NO.	DESCRIPTION	
*ESS590C	Ø125mm x 1.6mm Side Spoke Saw 44/60	
*ESC170C	Ø125mm x 1.6mm Continuous Rim 44/60	
	TH ADJUSTABLE DEPTH GAUGE	ıp to 35mm.
PART NO.	DESCRIPTION	
*MMPSP01	Adjustable Sole Plate & Handle	
1	2 3	2









info@amp-teknik.dk

